

| Order            | family        | genus              | species                | subspecies | gender / age / plumage | No. of specimens | Common name                      | IUCN Red list status   | Source of specimen                             | Case number |
|------------------|---------------|--------------------|------------------------|------------|------------------------|------------------|----------------------------------|------------------------|--|-------------|
| Struthioniformes | Struthionidae | <i>Struthio</i>    | <i>camelus</i>         |            | adult                  | 1                | Ostrich, Common                  | Least Concern          |  | KMB1985.242 |
| Struthioniformes | Struthionidae | <i>Struthio</i>    | <i>camelus</i>         |            | female                 | 1                | Ostrich, Common                  | Least Concern          |  | KMB1985.243 |
| Struthioniformes | Struthionidae | <i>Struthio</i>    | <i>camelus</i>         |            | juvenile               | 1                | Ostrich, Common                  | Least Concern          | Whipsnade Zoo                                  | KMB1985.244 |
| Rheiformes       | Rheidae       | <i>Rhea</i>        | <i>americana</i>       |            | adult                  | 1                | Rhea, Greater                    | <b>Near Threatened</b> |  | KMB1985.321 |
| Apterygiformes   | Apterygidae   | <i>Apteryx</i>     | <i>owenii</i>          | hubbardii  | adult                  | 1                | Kiwi, Little Spotted             | <b>Near Threatened</b> |  | KMB1985.214 |
| Apterygiformes   | Apterygidae   | <i>Apteryx</i>     | <i>owenii</i>          |            | adults                 | 2                | Kiwi, Little Spotted             | <b>Near Threatened</b> |  | KMB1985.215 |
| Casuariiformes   | Casuaridae    | <i>Casuaris</i>    | <i>casuaris</i>        |            | adult                  | 1                | Cassowary, Southern              | <b>Vulnerable</b>      |  | KMB1985.320 |
| Casuariiformes   | Dromaiidae    | <i>Dromaius</i>    | <i>novaehollandiae</i> |            | adult & juvenile       | 2                | Emu, Common                      | Least Concern          |  | KMB1985.319 |
| Anseriformes     | Anatidae      | <i>Dendrocygna</i> | <i>autumnalis</i>      |            | adult                  | 1                | Whistling-duck, Black-bellied    | Least Concern          |  | KMB1985.48  |
| Anseriformes     | Anatidae      | <i>Branta</i>      | <i>bernicla</i>        |            | adult                  | 1                | Goose, Brent (aka Brant Goose)   | Least Concern          |  | KMB1985.57  |
| Anseriformes     | Anatidae      | <i>Branta</i>      | <i>bernicla</i>        |            | adults                 | 2                | Goose, Brent (aka Brant Goose)   | Least Concern          |  | KMB1985.58  |
| Anseriformes     | Anatidae      | <i>Branta</i>      | <i>ruficollis</i>      |            | adult                  | 1                | Goose, Red-breasted              | <b>Endangered</b>      |  | KMB1985.59  |
| Anseriformes     | Anatidae      | <i>Branta</i>      | <i>leucopsis</i>       |            | adult                  | 1                | Goose, Barnacle                  | Least Concern          |  | KMB1985.57  |
| Anseriformes     | Anatidae      | <i>Anser</i>       | <i>anser</i>           |            | pair                   | 2                | Goose, Greylag                   | Least Concern          |  | KMB1985.13  |
| Anseriformes     | Anatidae      | <i>Anser</i>       | <i>fabalis</i>         |            | adults                 | 2                | Goose, Taiga Bean                | Least Concern          |  | KMB1985.14  |
| Anseriformes     | Anatidae      | <i>Anser</i>       | <i>brachyrhynchus</i>  |            | pair                   | 2                | Goose, Pink-footed ,             | Least Concern          |  | KMB1985.11  |
| Anseriformes     | Anatidae      | <i>Anser</i>       | <i>albifrons</i>       |            | pair                   | 2                | Goose, Greater White-fronted     | Least Concern          |  | KMB1985.12  |
| Anseriformes     | Anatidae      | <i>Cygnus</i>      | <i>atratus</i>         |            | adults                 | 3                | Swan, Australian Black           | Least Concern          |  | KMB1985.232 |
| Anseriformes     | Anatidae      | <i>Cygnus</i>      | <i>columbianus</i>     | bewickii   | adult                  | 1                | Swan, Tundra (aka Bewick's Swan) | Least Concern          |  | KMB1985.299 |
| Anseriformes     | Anatidae      | <i>Cygnus</i>      | <i>cygnus</i>          |            | adult                  | 1                | Swan, Whooper                    | Least Concern          |  | KMB1985.300 |
| Anseriformes     | Anatidae      | <i>Tadorna</i>     | <i>tadorna</i>         |            | male                   | 1                | Shelduck, Common                 | Least Concern          |  | KMB1985.51  |
| Anseriformes     | Anatidae      | <i>Tadorna</i>     | <i>tadorna</i>         |            | pair & 4 juveniles     | 6                | Shelduck, Common                 | Least Concern          |  | KMB1985.52  |
| Anseriformes     | Anatidae      | <i>Tadorna</i>     | <i>tadorna</i>         |            | female                 | 1                | Shelduck, Common                 | Least Concern          | Bardsea, Cumbria. March 1984                   | KMB1985.330 |
| Anseriformes     | Anatidae      | <i>Tadorna</i>     | <i>ferruginea</i>      |            | breeding male          | 1                | Shelduck, Ruddy                  | Least Concern          |  | KMB1985.47  |
| Anseriformes     | Anatidae      | <i>Aix</i>         | <i>sponsa</i>          |            | adult                  | 1                | Duck, Wood                       | Least Concern          |  | KMB1985.34  |
| Anseriformes     | Anatidae      | <i>Aix</i>         | <i>galericulata</i>    |            | male                   | 1                | Duck, Mandarin                   | Least Concern          |  | KMB1985.26  |
| Anseriformes     | Anatidae      | <i>Anas</i>        | <i>strepera</i>        |            | pair                   | 2                | Gadwall                          | Least Concern          |  | KMB1985.46  |
| Anseriformes     | Anatidae      | <i>Anas</i>        | <i>penelope</i>        |            | pair                   | 2                | Wigeon, Eurasian                 | Least Concern          |  | KMB1985.45  |
| Anseriformes     | Anatidae      | <i>Anas</i>        | <i>penelope</i>        |            | pair                   | 2                | Wigeon, Eurasian                 | Least Concern          |  | KMB1985.53  |
| Anseriformes     | Anatidae      | <i>Anas</i>        | <i>americana</i>       |            | pair                   | 2                | Wigeon, American                 | Least Concern          |  | KMB1985.32  |
| Anseriformes     | Anatidae      | <i>Anas</i>        | <i>platyrhynchus</i>   |            | juvenile               | 2                | Mallard                          | Least Concern          | Sramongate Weir, Kendal. Found dead, July 1979 | KMB1980.7   |
| Anseriformes     | Anatidae      | <i>Anas</i>        | <i>platyrhynchus</i>   |            | female & 2 males       | 3                | Mallard                          | Least Concern          |  | KMB1985.50  |

| Order        | family   | genus               | species                | subspecies | gender / age / plumage | No. of specimens | Common name                                | IUCN Red list status | Source of specimen                     | Case number |
|--------------|----------|---------------------|------------------------|------------|------------------------|------------------|--|----------------------|--|-------------|
| Anseriformes | Anatidae | <i>Anas</i>         | <i>platyrhynchus</i>   |            | male                   | 1                | Mallard                                    | Least Concern        | Winnmarleig h, Lancs                   | KMB1984.11  |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>clypeata</i>        |            | pair                   | 2                | Shoveler, Northern                         | Least Concern        |  | KMB1985.17  |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>acuta</i>           |            | pair                   | 2                | Pintail, Northern                          | Least Concern        |  | KMB1985.39  |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>acuta</i>           |            | pair                   | 2                | Pintail, Northern                          | Least Concern        |  | KMB1985.40  |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>querquedula</i>     |            | pair                   | 2                | Garganey                                   | Least Concern        |  | KMB1985.31  |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>crecca</i>          |            | pair & 7 juveniles     | 9                | Teal, Eurasian                             | Least Concern        |  | KMB1985.41  |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>crecca</i>          |            | 3 males, 1 female      | 4                | Teal, Eurasian                             | Least Concern        |  | KMB1985.42  |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>crecca</i>          |            | male                   | 1                | Teal, Eurasian                             | Least Concern        |  | KMB1983.362 |
| Anseriformes | Anatidae | <i>Anas</i>         | <i>crecca</i>          |            | male                   | 1                | Teal, Eurasian                             | Least Concern        |  | 13.2015T.4  |
| Anseriformes | Anatidae | <i>Aythya</i>       | <i>ferina</i>          |            | male                   | 1                | Pochard, Common                            | Least Concern        |  | KMB1985.25  |
| Anseriformes | Anatidae | <i>Aythya</i>       | <i>ferina x nyroca</i> |            | hybrid male & female   | 2                | Pochard, Common & Duck, Ferruginous Hybrid |                      | Hardingham. Male shot 1927 or earlier. | KMB1985.43  |
| Anseriformes | Anatidae | <i>Aythya</i>       | <i>fuligula</i>        |            | pair                   | 2                | Duck, Tufted                               | Least Concern        |  | KMB1985.155 |
| Anseriformes | Anatidae | <i>Aythya</i>       | <i>marila</i>          |            | adult                  | 2                | Scaup, Greater                             | Least Concern        |  | KMB1985.16  |
| Anseriformes | Anatidae | <i>Aythya</i>       | <i>marila</i>          |            | pair & 7 juveniles     | 9                | Scaup, Greater                             | Least Concern        |  | KMB1985.49  |
| Anseriformes | Anatidae | <i>Aythya</i>       | <i>affinis</i>         |            | pair                   | 2                | Scaup, Lesser                              | Least Concern        |  | KMB1985.15  |
| Anseriformes | Anatidae | <i>Polysticta</i>   | <i>stelleri</i>        |            | pair                   | 2                | Eider, Steller's                           | <b>Vulnerable</b>    |  | KMB1985.44  |
| Anseriformes | Anatidae | <i>Somateria</i>    | <i>spectabilis</i>     |            | pair                   | 2                | Eider, King                                | Least Concern        |  | KMB1985.55  |
| Anseriformes | Anatidae | <i>Somateria</i>    | <i>mollissima</i>      |            | pair                   | 2                | Eider, Common                              | Least Concern        |  | KMB1985.54  |
| Anseriformes | Anatidae | <i>Histrionicus</i> | <i>histrionicus</i>    |            | pair                   | 2                | Duck, Harlequin                            | Least Concern        |  | KMB1985.33  |
| Anseriformes | Anatidae | <i>Melanitta</i>    | <i>perspicillata</i>   |            | pair                   | 2                | Scoter, Surf                               | Least Concern        |  | KMB1985.56  |
| Anseriformes | Anatidae | <i>Melanitta</i>    | <i>fusca</i>           |            | pair                   | 2                | Scoter, Velvet                             | <b>Endangered</b>    |  | KMB1985.19  |
| Anseriformes | Anatidae | <i>Melanitta</i>    | <i>nigra</i>           |            | male                   | 1                | Scoter, Common                             | Least Concern        |  | KMB1994.55  |
| Anseriformes | Anatidae | <i>Melanitta</i>    | <i>nigra</i>           |            | pair & 7 juveniles     | 9                | Scoter, Common                             | Least Concern        |  | KMB1985.18  |
| Anseriformes | Anatidae | <i>Clangula</i>     | <i>hyemalis</i>        |            | pair                   | 2                | Duck, Long-tailed                          | <b>Vulnerable</b>    |  | KMB1985.27  |
| Anseriformes | Anatidae | <i>Clangula</i>     | <i>hyemalis</i>        |            | pair                   | 2                | Duck, Long-tailed                          | <b>Vulnerable</b>    |  | KMB1985.28  |
| Anseriformes | Anatidae | <i>Clangula</i>     | <i>hyemalis</i>        |            | pair                   | 2                | Duck, Long-tailed                          | <b>Vulnerable</b>    |  | KMB1985.35  |
| Anseriformes | Anatidae | <i>Clangula</i>     | <i>hyemalis</i>        |            | pair                   | 2                | Duck, Long-tailed                          | <b>Vulnerable</b>    |  | KMB1985.36  |
| Anseriformes | Anatidae | <i>Bucephala</i>    | <i>albeola</i>         |            | pair & 5 juveniles     | 7                | Bufflehead                                 | Least Concern        |  | KMB1985.30  |
| Anseriformes | Anatidae | <i>Bucephala</i>    | <i>clangula</i>        |            | pair                   | 2                | Goldeneye, Common                          | Least Concern        |  | KMB1985.29  |
| Anseriformes | Anatidae | <i>Mergellus</i>    | <i>albellus</i>        |            | pair                   | 2                | Smew                                       | Least Concern        |  | KMB1985.37  |
| Anseriformes | Anatidae | <i>Mergellus</i>    | <i>albellus</i>        |            | 2 males, 1 female      | 3                | Smew                                       | Least Concern        |  | KMB1985.38  |
| Anseriformes | Anatidae | <i>Lophodytes</i>   | <i>cucullatus</i>      |            | pair                   | 2                | Merganser, Hooded                          | Least Concern        |  | KMB1985.22  |
| Anseriformes | Anatidae | <i>Lophodytes</i>   | <i>cucullatus</i>      |            | male                   | 1                | Merganser, Hooded                          | Least Concern        | Canada, 1892                           | KMB2015.1   |
| Anseriformes | Anatidae | <i>Mergus</i>       | <i>merganser</i>       |            | male (with 3 females)  | 4                | Merganser, Common (aka Goosander)          | Least Concern        |  | KMB1985.23  |
| Anseriformes | Anatidae | <i>Mergus</i>       | <i>merganser</i>       |            | drake                  | 1                | Merganser, Common (aka Goosander)          | Least Concern        |  | KMB1985.24  |

| Order        | family         | genus              | species            | subspecies | gender / age / plumage   | No. of specimens | Common name                        | IUCN Red list status   | Source of specimen                                       | Case number    |
|--------------|----------------|--------------------|--------------------|------------|--------------------------|------------------|------------------------------------|------------------------|--|----------------|
| Anseriformes | Anatidae       | <i>Mergus</i>      | <i>serrator</i>    |            | pair                     | 2                | Merganser, Red-breasted            | Least Concern          |  | KMB1985.20     |
| Anseriformes | Anatidae       | <i>Mergus</i>      | <i>serrator</i>    |            | pair                     | 2                | Merganser, Red-breasted            | Least Concern          |  | KMB1985.21     |
| Galliformes  | Numididae      | <i>Agelastes</i>   | <i>meleagrides</i> |            | adult                    | 1                | Guineafowl, White-breasted         | Vulnerable             |  | KMB1985.149    |
| Galliformes  | Numididae      | <i>Numida</i>      | <i>meleagris</i>   | damarensis | adult                    | 1                | Guineafowl, Helmeted               | Least Concern          |  | KMB1985.309.3  |
| Galliformes  | Numididae      | <i>Numida</i>      | <i>meleagris</i>   | reichenowi | adult                    | 1                | Guineafowl, Helmeted               | Least Concern          |  | KMB1985.309.4  |
| Galliformes  | Numididae      | <i>Numida</i>      | <i>meleagris</i>   | sabyi      | adult                    | 1                | Guineafowl, Helmeted               | Least Concern          |  | KMB1985.309.5  |
| Galliformes  | Numididae      | <i>Numida</i>      | <i>meleagris</i>   | galeata    | adult                    | 1                | Guineafowl, Helmeted               | Least Concern          |  | KMB1985.309.6  |
| Galliformes  | Numididae      | <i>Numida</i>      | <i>meleagris</i>   | mitrata    | adult                    | 1                | Guineafowl, Helmeted               | Least Concern          |  | KMB1985.309.7  |
| Galliformes  | Numididae      | <i>Guttera</i>     | <i>pucherani</i>   | pucherani  | adult                    | 1                | Guineafowl, Crested                | Least Concern          |  | KMB1985.309.8  |
| Galliformes  | Numididae      | <i>Guttera</i>     | <i>pucherani</i>   | sclateri   | adult                    | 1                | Guineafowl, Crested                | Least Concern          |  | KMB1985.309.9  |
| Galliformes  | Numididae      | <i>Acryllium</i>   | <i>vulturinum</i>  |            | adult                    | 1                | Guineafowl, Vulturine              | Least Concern          | Kenya  | KMB1985.179    |
| Galliformes  | Numididae      | <i>Acryllium</i>   | <i>vulturinum</i>  |            | adult                    | 1                | Guineafowl, Vulturine              | Least Concern          |  | KMB1985.309.1  |
| Galliformes  | Numididae      | <i>Acryllium</i>   | <i>vulturinum</i>  |            | adult                    | 1                | Guineafowl, Vulturine              | Least Concern          |  | KMB1985.309.2  |
| Galliformes  | Odontophoridae | <i>Ptilopachus</i> | <i>petrosus</i>    |            | adult                    | 2                | Partridge, Stone                   | Least Concern          |  | KMB1985.179    |
| Galliformes  | Odontophoridae | <i>Ptilopachus</i> | <i>nahani</i>      |            | adult                    | 1                | Partridge, Nahan's                 | <b>Endangered</b>      |  | KMB1985.245.15 |
| Galliformes  | Odontophoridae | <i>Callipepla</i>  | <i>californica</i> |            | pair                     | 2                | Quail, California                  | Least Concern          |  | KMB1985.229    |
| Galliformes  | Odontophoridae | <i>Colinus</i>     | <i>virginianus</i> |            | pair                     | 2                | Bobwhite, Northern                 | <b>Near Threatened</b> |  | KMB1985.142    |
| Galliformes  | Phasianidae    | <i>Tetrao</i>      | <i>urogallus</i>   |            | pair                     | 2                | Capercaillie, Western              | Least Concern          |  | KMB1984.163    |
| Galliformes  | Phasianidae    | <i>Tetrao</i>      | <i>urogallus</i>   |            | female                   | 1                | Capercaillie, Western              | Least Concern          | Hotel Wood, Loch Lomond, Scotland. Shot, 1937 or earlier | KMB1984.164    |
| Galliformes  | Phasianidae    | <i>Lyrurus</i>     | <i>tetrix</i>      |            | pair                     | 2                | Grouse, Black                      | Least concern          |  | KMB1984.161    |
| Galliformes  | Phasianidae    | <i>Lyrurus</i>     | <i>tetrix</i>      |            | female                   | 1                | Grouse, Black                      | Least Concern          |  | KMB1984.162    |
| Galliformes  | Phasianidae    | <i>Lagopus</i>     | <i>muta</i>        |            | prey of wild cat         | 1                | Ptarmigan, Rock                    | Least Concern          | Scotland   | KMB1983.344    |
| Galliformes  | Phasianidae    | <i>Lagopus</i>     | <i>muta</i>        |            | winter plumage           | 1                | Ptarmigan, Rock                    | Least Concern          |  | KMB1984.157    |
| Galliformes  | Phasianidae    | <i>Lagopus</i>     | <i>muta</i>        |            | breeding plumage         | 2                | Ptarmigan, Rock                    | Least Concern          |  | KMB1984.158    |
| Galliformes  | Phasianidae    | <i>Lagopus</i>     | <i>muta</i>        |            | prey of peregrine falcon | 1                | Ptarmigan, Rock                    | Least Concern          |  | KMB1985.298    |
| Galliformes  | Phasianidae    | <i>Lagopus</i>     | <i>lagopus</i>     | scotica    | female                   | 1                | Ptarmigan, Willow (aka Red Grouse) | Least Concern          |  | KMB1984.159    |
| Galliformes  | Phasianidae    | <i>Lagopus</i>     | <i>lagopus</i>     | scotica    | pair & 7 juveniles       | 9                | Ptarmigan, Willow (aka Red Grouse) | Least Concern          |  | KMB1984.160    |
| Galliformes  | Phasianidae    | <i>Alectoris</i>   | <i>rufa</i>        |            | adult                    | 2                | Partridge, Red-legged              | Least Concern          |  | KMB1985.9      |

| Order       | family      | genus                | species                   | subspecies                  | gender / age / plumage       | No. of specimens | Common name                        | IUCN Red list status   | Source of specimen               | Case number    |
|-------------|-------------|----------------------|---------------------------|-----------------------------|------------------------------|------------------|------------------------------------|------------------------|----------------------------------|----------------|
| Galliformes | Phasianidae | <i>Peliperdix</i>    | <i>lathamii schubotzi</i> | id uncertain                | adult                        | 1                | Francolin, sp. (possibly Latham's) |                        |                                  | KMB1985.245.19 |
| Galliformes | Phasianidae | <i>Peliperdix</i>    | <i>coqui</i>              |                             | adult                        | 1                | Francolin, Coqui                   | Least Concern          | Kenya                            | KMB1985.179    |
| Galliformes | Phasianidae | <i>Peliperdix</i>    | <i>coqui</i>              | hubbardii                   | male                         | 1                | Francolin, Coqui                   | Least Concern          |                                  | KMB1985.245.5  |
| Galliformes | Phasianidae | <i>Peliperdix</i>    | <i>coqui</i>              | hubbardii                   | female                       | 1                | Francolin, Coqui                   | Least Concern          |                                  | KMB1985.245.6  |
| Galliformes | Phasianidae | <i>Peliperdix</i>    | <i>coqui</i>              |                             | male                         | 1                | Francolin, Coqui                   | Least Concern          |                                  | KMB1985.245.20 |
| Galliformes | Phasianidae | <i>Peliperdix</i>    | <i>coqui</i>              |                             | female                       | 1                | Francolin, Coqui                   | Least Concern          |                                  | KMB1985.245.21 |
| Galliformes | Phasianidae | <i>Scleroptila</i>   | <i>streptophora</i>       |                             | male                         | 1                | Francolin, Ring-necked             | <b>Near Threatened</b> |                                  | KMB1985.245.14 |
| Galliformes | Phasianidae | <i>Scleroptila</i>   | <i>levaillanti</i>        |                             | male                         | 1                | Francolin, Red-winged              | Least Concern          |                                  | KMB1985.245.22 |
| Galliformes | Phasianidae | <i>Scleroptila</i>   | <i>levaillanti</i>        |                             | female                       | 1                | Francolin, Red-winged              | Least Concern          |                                  | KMB1985.245.23 |
| Galliformes | Phasianidae | <i>Dendroperdix</i>  | <i>sephaena</i>           | grantii                     | male                         | 1                | Francolin, Crested                 | Least Concern          |                                  | KMB1985.245.11 |
| Galliformes | Phasianidae | <i>Dendroperdix</i>  | <i>sephaena</i>           | grantii                     | female                       | 1                | Francolin, Crested                 | Least Concern          |                                  | KMB1985.245.12 |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>hildebrandti</i>       | id uncertain                | male                         | 1                | Francolin, Hildebrandt's           | Least Concern          |                                  | KMB1985.245.18 |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>icterorhynchus</i>     |                             | male                         | 1                | Francolin, Heuglin's               | Least Concern          |                                  | KMB1985.245.1  |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>icterorhynchus</i>     |                             | female                       | 1                | Francolin, Heuglin's               | Least Concern          |                                  | KMB1985.245.2  |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>jacksoni</i>           |                             | adults                       | 2                | Francolin, Jackson's               | Least Concern          | Kenya                            | KMB1985.179    |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>jacksoni</i>           |                             | adult                        | 1                | Francolin, Jackson's               | Least Concern          |                                  | KMB1985.245.16 |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>jacksoni</i>           |                             | adult                        | 1                | Francolin, Jackson's               | Least Concern          |                                  | KMB1985.245.17 |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>leucoscepus</i>        |                             | male                         | 1                | Spurfowl, Yellow-necked            | Least Concern          |                                  | KMB1985.245.7  |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>leucoscepus</i>        |                             | female                       | 1                | Spurfowl, Yellow-necked            | Least Concern          |                                  | KMB1985.245.8  |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>leucoscepus</i>        |                             | male                         | 1                | Spurfowl, Yellow-necked            | Least Concern          |                                  | KMB1985.245.9  |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>leucoscepus</i>        |                             | female                       | 1                | Spurfowl, Yellow-necked            | Least Concern          |                                  | KMB1985.245.10 |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>afer</i>               |                             | adult                        | 1                | Spurfowl, Red-necked               | Least Concern          | Kenya                            | KMB1985.179    |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>afer</i>               | cranchii                    | male                         | 1                | Spurfowl, Red-necked               | Least Concern          |                                  | KMB1985.245.3  |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>afer</i>               | cranchii                    | female                       | 1                | Spurfowl, Red-necked               | Least Concern          |                                  | KMB1985.245.4  |
| Galliformes | Phasianidae | <i>Pternistes</i>    | <i>sp.</i>                | unidentified                | male                         | 1                | Francolin sp.                      |                        |                                  | KMB1985.245.13 |
|             |             |                      |                           |                             | adult                        |                  |                                    |                        | Ings, Kendal, 1980 road casualty |                |
| Galliformes | Phasianidae | <i>Perdix</i>        | <i>perdix</i>             |                             |                              | 1                | Partridge, Grey                    | Least Concern          |                                  | KMB1981.1      |
| Galliformes | Phasianidae | <i>Perdix</i>        | <i>perdix</i>             |                             | pair                         | 2                | Partridge, Grey                    | Least Concern          |                                  | KMB1985.6      |
| Galliformes | Phasianidae | <i>Perdix</i>        | <i>perdix</i>             |                             | pair                         | 2                | Partridge, Grey                    | Least Concern          |                                  | KMB1985.7      |
| Galliformes | Phasianidae | <i>Perdix</i>        | <i>perdix</i>             |                             | pair & 7 juveniles           | 9                | Partridge, Grey                    | Least Concern          |                                  | KMB1985.8      |
| Galliformes | Phasianidae | <i>Perdix</i>        | <i>perdix</i>             |                             | albino adult                 | 1                | Partridge, Grey                    | Least concern          |                                  | KMB1985.308.14 |
| Galliformes | Phasianidae | <i>Coturnix</i>      | <i>coturnix</i>           |                             | pair & 5 juveniles           | 7                | Quail, Common                      | Least Concern          |                                  | KMB1985.10     |
| Galliformes | Phasianidae | <i>Coturnix</i>      | <i>coturnix</i>           | africana                    | male                         | 1                | Quail, Common                      | Least Concern          |                                  | KMB1985.138    |
| Galliformes | Phasianidae | <i>Coturnix</i>      | <i>delegorguei</i>        |                             | pair                         | 2                | Quail, Harlequin                   | Least Concern          |                                  | KMB1985.138    |
| Galliformes | Phasianidae | <i>Excalfactoria</i> | <i>chinensis</i>          |                             | pair                         | 2                | Quail, King                        | Least Concern          |                                  | KMB1985.138    |
| Galliformes | Phasianidae | <i>Lophophorus</i>   | <i>impejanus</i>          |                             | pair                         | 2                | Monal, Himalayan                   | Least Concern          |                                  | KMB1985.234    |
| Galliformes | Phasianidae | <i>Phasianus</i>     | <i>colchicus</i>          |                             | pair                         | 2                | Pheasant, Common                   | Least Concern          |                                  | KMB1985.3      |
| Galliformes | Phasianidae | <i>Phasianus</i>     | <i>colchicus</i>          |                             | female assuming male plumage | 1                | Pheasant, Common                   | Least Concern          |                                  | KMB1985.4      |
| Galliformes | Phasianidae | <i>Phasianus</i>     | <i>colchicus</i>          |                             | white plumage                | 1                | Pheasant, Common                   | Least Concern          |                                  | KMB1985.5      |
| Galliformes | Phasianidae | <i>Phasianus</i>     | <i>colchicus</i>          | 1 of 4 Chinese sub-species) | adult male                   | 1                | Pheasant, Common                   | Least Concern          |                                  | KMB1985.1      |

| Order            | family         | genus                        | species                    | subspecies | gender / age / plumage                 | No. of specimens | Common name                      | IUCN Red list status   | Source of specimen       | Case number   |
|------------------|----------------|------------------------------|----------------------------|------------|--|------------------|----------------------------------|------------------------|--------------------------|---------------|
| Galliformes      | Phasianidae    | <i>Phasianus</i>             | <i>colchicus</i>           |            | adult male in case with female hybrid  | 1                | Pheasant, Common                 | Least Concern          | Grizedale, Cumbria, 1937 | KMB1985.2     |
| Galliformes      | Phasianidae    | <i>Phasianus colchicus</i> x | <i>Chrysolophus pictus</i> | hybrid     | female hybrid in case with male common | 1                | Pheasant, Golden x Common        | Least Concern          | Grizedale, Cumbria, 1937 | KMB1985.2     |
| Galliformes      | Phasianidae    | <i>Pavo</i>                  | <i>cristatus</i>           |            | male                                   | 1                | Peafowl, Indian                  | Least Concern          |                          | KMB1985.318   |
| Gaviiformes      | Gaviidae       | <i>Gavia</i>                 | <i>stellata</i>            |            | 1 breeding, 1 winter                   | 2                | Loon, Red-throated (aka Diver)   | Least Concern          |                          | KMB1984.113   |
| Gaviiformes      | Gaviidae       | <i>Gavia</i>                 | <i>stellata</i>            |            | breeding plumage                       | 1                | Loon, Red-throated (aka Diver)   | Least Concern          |                          | KMB1984.114   |
| Gaviiformes      | Gaviidae       | <i>Gavia</i>                 | <i>stellata</i>            |            | 1 in winter plumage, 1 in transition   | 2                | Loon, Red-throated (aka Diver)   | Least Concern          |                          | KMB1985.236.4 |
| Gaviiformes      | Gaviidae       | <i>Gavia</i>                 | <i>arctica</i>             |            | adults                                 | 2                | Loon, Black-throated (aka Diver) | Least Concern          |                          | KMB1984.115   |
| Gaviiformes      | Gaviidae       | <i>Gavia</i>                 | <i>immer</i>               |            | breeding plumage                       | 1                | Loon, Great Northern (aka Diver) | Least Concern          |                          | KMB1984.111   |
| Gaviiformes      | Gaviidae       | <i>Gavia</i>                 | <i>immer</i>               |            | winter plumage                         | 2                | Loon, Great Northern (aka Diver) | Least Concern          |                          | KMB1984.112   |
| Sphenisciformes  | Spheniscidae   | <i>Aptenodytes</i>           | <i>patagonicus</i>         |            | adult                                  | 1                | Penguin, King                    | Least Concern          |                          | KMB1985.322   |
| Sphenisciformes  | Spheniscidae   | <i>Eudyptes</i>              | <i>pachyrhynchus</i>       |            | adult                                  | 1                | Penguin, Fiordland               | <b>Vulnerable</b>      |                          | KMB1985.222.1 |
| Sphenisciformes  | Spheniscidae   | <i>Eudyptula</i>             | <i>minor</i>               |            | adult                                  | 2                | Penguin, Little                  | Least Concern          |                          | KMB1985.222.2 |
| Sphenisciformes  | Oceanitidae    | <i>Fregatta</i>              | <i>grallaria</i>           |            | adult                                  | 1                | Petrel, White-bellied Storm      | Least Concern          |                          | KMB1984.151   |
| Sphenisciformes  | Diomedidae     | <i>Diomedea</i>              | <i>exulans</i>             |            | adults                                 | 2                | Albatross, Wandering             | <b>Vulnerable</b>      |                          | KMB1984.154   |
| Sphenisciformes  | Diomedidae     | <i>Thalassarche</i>          | <i>melanophrys</i>         |            | adult                                  | 1                | Albatross, Black-browed          | <b>Near Threatened</b> |                          | KMB1984.153   |
| Sphenisciformes  | Hydrobatidae   | <i>Oceanodroma</i>           | <i>leucorhoa</i>           |            | adult                                  | 1                | Petrel, Leach's Storm            | Least Concern          |                          | KMB1984.149   |
| Sphenisciformes  | Hydrobatidae   | <i>Oceanodroma</i>           | <i>leucorhoa</i>           |            | 2 adults 1 juvenile                    | 3                | Petrel, Leach's Storm            | Least Concern          |                          | KMB1984.150   |
| Sphenisciformes  | Procellariidae | <i>Fulmarus</i>              | <i>glacialis</i>           |            | adult                                  | 2                | Fulmar, Northern                 | Least Concern          |                          | KMB1984.152   |
| Sphenisciformes  | Procellariidae | <i>Ardenna</i>               | <i>grisea</i>              |            | adult                                  | 1                | Shearwater, Sooty                | <b>Near Threatened</b> |                          | KMB1984.148   |
| Sphenisciformes  | Procellariidae | <i>Puffinus</i>              | <i>puffinus</i>            |            | adult                                  | 1                | Shearwater, Manx                 | Least Concern          |                          | KMB1984.147   |
| Podicipediformes | Podicipedidae  | <i>Tachybaptus</i>           | <i>ruficollis</i>          |            | breeding plumage                       | 2                | Grebe, Little                    | Least Concern          |                          | KMB1985.122   |

| Order            | family            | genus                 | species              | subspecies | gender / age / plumage                         | No. of specimens | Common name                | IUCN Red list status | Source of specimen | Case number    |
|------------------|-------------------|-----------------------|----------------------|------------|--|------------------|----------------------------|----------------------|--------------------|----------------|
| Podicipediformes | Podicipedidae     | <i>Tachybaptus</i>    | <i>ruficollis</i>    |            | winter plumage                                 | 2                | Grebe, Little              | Least Concern        |                    | KMB1985.123    |
| Podicipediformes | Podicipedidae     | <i>Podiceps</i>       | <i>grisegena</i>     |            | 2 adults                                       | 2                | Grebe, Red-necked          | Least Concern        |                    | KMB1985.124    |
| Podicipediformes | Podicipedidae     | <i>Podiceps</i>       | <i>cristatus</i>     |            | adult & juvenile                               | 2                | Grebe, Great-crested       | Least Concern        |                    | KMB1985.118    |
| Podicipediformes | Podicipedidae     | <i>Podiceps</i>       | <i>auritus</i>       |            | pair   | 2                | Grebe, Horned              | Least Concern        |                    | KMB1985.119    |
| Podicipediformes | Podicipedidae     | <i>Podiceps</i>       | <i>auritus</i>       |            | male, 2 females, 2 juvs                        | 5                | Grebe, Horned              | Least Concern        |                    | KMB1985.120    |
| Podicipediformes | Podicipedidae     | <i>Podiceps</i>       | <i>nigricollis</i>   |            | 1 juvenile, 2 adults (1 in transition plumage) | 3                | Grebe, Black-necked        | Least Concern        |                    | KMB1985.121    |
| Podicipediformes | Phoenicopteridae  | <i>Phoenicopterus</i> | <i>roseus</i>        |            | adult  | 1                | Flamingo, Greater          | Least Concern        |                    | KMB1985.231a   |
| Podicipediformes | Phoenicopteridae  | <i>Phoenicopterus</i> | <i>roseus</i>        |            | adult  | 1                | Flamingo, Greater          | Least Concern        |                    | KMB1985.231c   |
| Podicipediformes | Phaethontidae     | <i>Phaethon</i>       | <i>rubricauda</i>    |            | adults   | 2                | Tropicbird, Red-tailed     | Least Concern        |                    | KMB1985.137    |
| Ciconiiformes    | Ciconidae         | <i>Ciconia</i>        | <i>nigra</i>         |            | adult  | 1                | Stork, Black               | Least Concern        |                    | KMB1985.135    |
| Ciconiiformes    | Ciconidae         | <i>Ciconia</i>        | <i>ciconia</i>       |            | adult  | 1                | Stork, White               | Least Concern        |                    | KMB1985.311    |
| Pelecaniformes   | Threskiornithidae | <i>Eudocimus</i>      | <i>ruber</i>         |            | adult  | 2                | Ibis, Scarlet              | Least Concern        |                    | KMB1985.295    |
| Pelecaniformes   | Threskiornithidae | <i>Plegadis</i>       | <i>falcinellus</i>   |            | adult  | 2                | Ibis, Glossy               | Least Concern        |                    | KMB1985.294    |
| Pelecaniformes   | Threskiornithidae | <i>Platelea</i>       | <i>leucorodia</i>    |            | adult  | 1                | Spoonbill, Eurasian        | Least Concern        |                    | KMB1985.312    |
| Pelecaniformes   | Ardeidae          | <i>Botaurus</i>       | <i>stellaris</i>     |            | adult  | 1                | Bittern, Eurasian          | Least Concern        |                    | KMB1982.1      |
| Pelecaniformes   | Ardeidae          | <i>Botaurus</i>       | <i>stellaris</i>     |            | adult  | 1                | Bittern, Eurasian          | Least Concern        |                    | KMB1985.67     |
| Pelecaniformes   | Ardeidae          | <i>Botaurus</i>       | <i>stellaris</i>     |            | adult  | 1                | Bittern, Eurasian          | Least Concern        |                    | KMB1985.68     |
| Pelecaniformes   | Ardeidae          | <i>Botaurus</i>       | <i>poiciloptilus</i> |            | adult  | 1                | Bittern, Australasian      | Endangered           |                    | KMB1985.62     |
| Pelecaniformes   | Ardeidae          | <i>Ixobrychus</i>     | <i>minutus</i>       |            | pair   | 2                | Bittern, Little            | Least Concern        |                    | KMB1985.69     |
| Pelecaniformes   | Ardeidae          | <i>Nycticorax</i>     | <i>nycticorax</i>    |            | adult  | 1                | Night-heron, Black-crowned | Least Concern        |                    | KMB1985.62     |
| Pelecaniformes   | Ardeidae          | <i>Nycticorax</i>     | <i>nycticorax</i>    |            | adult  | 1                | Night-heron, Black-crowned | Least Concern        |                    | KMB1985.63     |
| Pelecaniformes   | Ardeidae          | <i>Butorides</i>      | <i>striata</i>       |            | adult  | 1                | Heron, Striated            | Least Concern        |                    | KMB1985.66     |
| Pelecaniformes   | Ardeidae          | <i>Butorides</i>      | <i>striata</i>       |            | adult  | 1                | Heron, Striated            | Least Concern        | Zimbabwe           | KMB1985.325.84 |
| Pelecaniformes   | Ardeidae          | <i>Ardeola</i>        | <i>ralloides</i>     |            | 2 adults                                       | 2                | Heron, Squacco             | Least Concern        |                    | KMB1985.61     |
| Pelecaniformes   | Ardeidae          | <i>Bubulcus</i>       | <i>ibis</i>          |            | 2 adults                                       | 2                | Egret, Western Cattle      | Least Concern        |                    | KMB1985.64     |
| Pelecaniformes   | Ardeidae          | <i>Bubulcus</i>       | <i>ibis</i>          |            | breeding                                       | 2                | Egret, Western Cattle      | Least Concern        |                    | KMB1985.65     |

| Order           | family            | genus                | species             | subspecies | gender / age / plumage | No. of specimens | Common name                  | IUCN Red list status | Source of specimen                              | Case number   |
|-----------------|-------------------|----------------------|---------------------|------------|------------------------|------------------|------------------------------|----------------------|---|---------------|
|                 |                   |                      |                     |            | adult                  |                  |                              |                      |   |               |
| Pelecaniformes  | Ardeidae          | <i>Ardea</i>         | <i>cinerea</i>      |            |                        | 1                | Heron, Grey                  | Least Concern        | Fishcarling Point, Cumbria, March 1984          | KMB1985.329   |
| Pelecaniformes  | Ardeidae          | <i>Ardea</i>         | <i>cinerea</i>      |            | pair                   | 2                | Heron, Grey                  | Least Concern        |   | KMB1985.72    |
| Pelecaniformes  | Ardeidae          | <i>Ardea</i>         | <i>cinerea</i>      |            | adult                  | 1                | Heron, Grey                  | Least Concern        |   | KMB1994.53    |
| Pelecaniformes  | Ardeidae          | <i>Ardea</i>         | <i>cinerea</i>      |            | adult                  | 1                | Heron, Grey                  | Least Concern        |   | T.C30         |
| Pelecaniformes  | Ardeidae          | <i>Ardea</i>         | <i>purpurea</i>     |            | adult                  | 1                | Heron, Purple                | Least Concern        |   | KMB1985.71    |
| Pelecaniformes  | Ardeidae          | <i>Ardea</i>         | <i>alba</i>         | modesta    | adult                  | 1                | Egret, Great                 | Least Concern        |   | KMB1985.62    |
| Pelecaniformes  | Ardeidae          | <i>Ardea</i>         | <i>alba</i>         |            | pair                   | 2                | Egret, Great                 | Least Concern        |   | KMB1985.70    |
| Pelecaniformes  | Ardeidae          | <i>Egretta</i>       | <i>caerulea</i>     |            | breeding               | 1                | Heron, Little Blue           | Least Concern        |   | KMB1985.66    |
| Pelecaniformes  | Ardeidae          | <i>Egretta</i>       | <i>garzetta</i>     |            | 2 adults               | 2                | Egret, Little                | Least Concern        |   | KMB1985.60    |
| Pelecaniformes  | Pelecanidae       | <i>Pelicanus</i>     | <i>crispus</i>      |            | adult                  | 1                | Pelican, Dalmatian           | <b>Vulnerable</b>    |   | KMB1985.176   |
|                 |                   |                      |                     |            | adult                  |                  |                              |                      |   |               |
| Suliformes      | Sulidae           | <i>Morus</i>         | <i>bassanus</i>     |            |                        | 1                | Gannet, Northern             | Least Concern        | Whinfell Tarn, Cumbria, October 1983            | KMB1985.331   |
| Suliformes      | Sulidae           | <i>Morus</i>         | <i>bassanus</i>     |            | immature               | 1                | Gannet, Northern             | Least Concern        |   | KMB1994.52    |
| Suliformes      | Sulidae           | <i>Morus</i>         | <i>bassanus</i>     |            | adult                  | 1                | Gannet, Northern             | Least Concern        |   | KMB1985.235.1 |
| Suliformes      | Sulidae           | <i>Morus</i>         | <i>bassanus</i>     |            | adult & juvs           | 5                | Gannet, Northern             | Least Concern        |   | KMB1985.302   |
| Suliformes      | Sulidae           | <i>Morus</i>         | <i>bassanus</i>     |            | juvenile               | 1                | Gannet, Northern             | Least Concern        |   | KMB2018.6     |
| Suliformes      | Phalacrocoracidae | <i>Phalacrocorax</i> | <i>aristotelis</i>  |            | adult                  | 2                | Shag, European               | Least Concern        |   | KMB1984.144   |
| Suliformes      | Phalacrocoracidae | <i>Phalacrocorax</i> | <i>aristotelis</i>  |            | adult                  | 1                | Shag, European               | Least Concern        |   | KMB1984.145   |
|                 |                   |                      |                     |            | adult                  |                  |                              |                      |   |               |
| Suliformes      | Phalacrocoracidae | <i>Phalacrocorax</i> | <i>carbo</i>        |            |                        | 1                | Cormorant, Great             | Least Concern        | Arnside, Cumbria, caught in fishing kline, 1984 | KMB1984.6     |
| Suliformes      | Phalacrocoracidae | <i>Phalacrocorax</i> | <i>carbo</i>        |            | adult                  | 1                | Cormorant, Great             | Least Concern        |   | KMB1984.146   |
| Suliformes      | Phalacrocoracidae | <i>Phalacrocorax</i> | <i>carbo</i>        |            | adult                  | 1                | Cormorant, Great             | Least Concern        |   | KMB1985.235.2 |
| Suliformes      | Anhingidae        | <i>Anhinga</i>       | <i>anhinga</i>      |            | adult                  | 1                | Anhinga (or American Darter) | Least Concern        |   | KMB1985.293   |
| Accipitriformes | Pandionidae       | <i>Pandion</i>       | <i>haliaetus</i>    |            | 2 adults, 3 juveniles  | 5                | Osprey, Western              | Least Concern        |   | KMB1985.292   |
| Accipitriformes | Pandionidae       | <i>Pandion</i>       | <i>haliaetus</i>    |            | adult with fish        | 1                | Osprey, Western              | Least Concern        |   | KMB1985.303   |
| Accipitriformes | Accipitridae      | <i>Elanus</i>        | <i>caeruleus</i>    |            | adult                  | 1                | Kite, Black-winged           | Least Concern        |   | KMB1985.261   |
| Accipitriformes | Accipitridae      | <i>Neophron</i>      | <i>percnopterus</i> |            | adult                  | 1                | Vulture, Egyptian            | <b>Endangered</b>    |   | KMB1985.304   |
| Accipitriformes | Accipitridae      | <i>Pernis</i>        | <i>apivorus</i>     |            | pair                   | 2                | Buzzard, European Honey      | Least Concern        |   | KMB1985.289   |
| Accipitriformes | Accipridae        | <i>Elanoides</i>     | <i>forficatus</i>   |            | adult                  | 2                | Kite, Swallow-tailed         | Least Concern        |   | KMB1985.288   |
| Accipitriformes | Accipridae        | <i>Gyps</i>          | <i>fulvus</i>       |            | adult                  | 1                | Vulture, Griffon             | Least Concern        |   | KMB1985.305   |

| Order           | family       | genus             | species            | subspecies          | gender / age / plumage | No. of specimens | Common name             | IUCN Red list status   | Source of specimen             | Case number                |
|-----------------|--------------|-------------------|--------------------|---------------------|------------------------|------------------|-------------------------|------------------------|--------------------------------|----------------------------|
| Accipitriformes | Accipridae   | <i>Spizaetus</i>  | <i>ornatus</i>     |                     | adult                  | 1                | Hawk-eagle, Ornate      | Near Threatened        |                                | KMB1985.274                |
| Accipitriformes | Accipitridae | <i>Aquila</i>     | <i>rapax</i>       |                     | adult                  | 1                | Eagle, Tawny            | Least Concern          |                                | KMB1985.306                |
| Accipitriformes | Accipitridae | <i>Aquila</i>     | <i>adalberti</i>   |                     | adult                  | 1                | Eagle, Spanish Imperial | <b>Vulnerable</b>      |                                | KMB1985.317                |
| Accipitriformes | Accipitridae | <i>Aquila</i>     | <i>chrysaetos</i>  |                     | adult                  | 1                | Eagle, Golden           | Least Concern          |                                | KMB1985.276                |
| Accipitriformes | Accipitridae | <i>Aquila</i>     | <i>chrysaetos</i>  |                     | adult                  | 1                | Eagle, Golden           | Least Concern          |                                | KMB1985.277                |
| Accipitriformes | Accipitridae | <i>Aquila</i>     | <i>chrysaetos</i>  |                     | adult                  | 1                | Eagle, Golden           | Least Concern          |                                | KMB1985.278                |
| Accipitriformes | Accipitridae | <i>Aquila</i>     | <i>chrysaetos</i>  |                     | adult                  | 1                | Eagle, Golden           | Least Concern          |                                | KMB2018.5                  |
|                 |              |                   |                    |                     | female                 |                  |                         |                        | Hincaster, Cumbria, Aug. 1978. |                            |
| Accipitriformes | Accipitridae | <i>Accipiter</i>  | <i>nisus</i>       |                     |                        | 1                | Sparrowhawk, Eurasian   | Least Concern          | Road casualty,                 | KMB1979.8                  |
|                 |              |                   |                    |                     | male                   |                  |                         |                        | Kendal, Mar. 1979.             |                            |
| Accipitriformes | Accipitridae | <i>Accipiter</i>  | <i>nisus</i>       |                     |                        | 1                | Sparrowhawk, Eurasian   | Least Concern          | Road casualty,                 | KMB1979.9                  |
|                 |              |                   |                    |                     | female                 |                  |                         |                        | Kirkby Lonsdale, Jan. 1983     |                            |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>nisus</i>       |                     |                        | 1                | Sparrowhawk, Eurasian   | Least Concern          |                                | KMB1986.2                  |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>nisus</i>       |                     | male                   | 1                | Sparrowhawk, Eurasian   | Least Concern          |                                | KMB2018.8                  |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>nisus</i>       |                     | male                   | 1                | Sparrowhawk, Eurasian   | Least Concern          |                                | KMB1985.263                |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>nisus</i>       |                     | male                   | 1                | Sparrowhawk, Eurasian   | Least Concern          |                                | KMB1985.264                |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>nisus</i>       | with chaffinch prey | pair                   | 2                | Sparrowhawk, Eurasian   | Least Concern          |                                | KMB1985.265                |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>nisus</i>       |                     | adult                  | 2                | Sparrowhawk, Eurasian   | Least Concern          |                                | KMB1985.291                |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>nisus</i>       |                     | male                   | 1                | Sparrowhawk, Eurasian   | Least Concern          |                                | KMB1985.334                |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>gentilis</i>    |                     | adult                  | 1                | Goshawk, Northern       | Least Concern          |                                | KMB1985.270                |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>gentilis</i>    |                     | adult & 4 juveniles    | 5                | Goshawk, Northern       | Least Concern          |                                | KMB1985.271<br>KMB1985.271 |
| Accipitriformes | Accipridae   | <i>Accipiter</i>  | <i>gentilis</i>    |                     | male adult             | 1                | Goshawk, Northern       | Least Concern          |                                | KMB1987.3                  |
| Accipitriformes | Accipridae   | <i>Circus</i>     | <i>aeruginosus</i> |                     | pair                   | 2                | Harrier, Western Marsh  | Least Concern          |                                | KMB1985.282                |
| Accipitriformes | Accipridae   | <i>Circus</i>     | <i>cyaneus</i>     |                     | pair                   | 2                | Harrier, Hen            | Least Concern          |                                | KMB1985.283                |
| Accipitriformes | Accipridae   | <i>Circus</i>     | <i>pygargus</i>    |                     | adult                  | 2                | Harrier, Montagu's      | Least Concern          |                                | KMB1985.284                |
| Accipitriformes | Accipridae   | <i>Milvus</i>     | <i>milvus</i>      |                     | adult                  | 2                | Kite, Red               | <b>Near Threatened</b> |                                | KMB1985.285                |
| Accipitriformes | Accipridae   | <i>Milvus</i>     | <i>migrans</i>     |                     | adults                 | 2                | Kite, Black             | Least Concern          |                                | KMB1985.286                |
| Accipitriformes | Accipridae   | <i>Haliaeetus</i> | <i>albicilla</i>   |                     | adult                  | 1                | Eagle, White-tailed     | Least Concern          |                                | KMB1985.275                |
| Accipitriformes | Accipridae   | <i>Busarellus</i> | <i>nigricollis</i> |                     | adult                  | 1                | Hawk, Black-collared    | Least Concern          |                                | KMB1985.307                |
| Accipitriformes | Accipridae   | <i>Rostrhamus</i> | <i>sociabilis</i>  |                     | adult                  | 1                | Kite, Snail             | Least Concern          |                                | KMB1985.262                |
|                 |              |                   |                    |                     | adult                  |                  |                         |                        | Grayrigg, Cumbria. 1920        |                            |
| Accipitriformes | Accipridae   | <i>Buteo</i>      | <i>lagopus</i>     |                     |                        | 1                | Buzzard, Rough-legged   | Least Concern          |                                | KMB1985.279                |



| Order           | family       | genus              | species             | subspecies            | gender / age / plumage | No. of specimens | Common name             | IUCN Red list status   | Source of specimen                                   | Case number |
|-----------------|--------------|--------------------|---------------------|-----------------------|------------------------|------------------|-------------------------|------------------------|--|-------------|
| Accipitriformes | Accipridae   | <i>Buteo</i>       | <i>buteo</i>        |                       | adult                  | 1                | Buzzard, Common         | Least Concern          | Grayrigg, Cumbria. Railway casualty, Oct 1980        | KMB1981.9   |
| Accipitriformes | Accipridae   | <i>Buteo</i>       | <i>buteo</i>        |                       | adult                  | 1                | Buzzard, Common         | Least Concern          | Arnside Railway Station. Jan. 1982                   | KMB1984.7   |
| Accipitriformes | Accipridae   | <i>Buteo</i>       | <i>buteo</i>        |                       | adult                  | 2                | Buzzard, Common         | Least Concern          |  | KMB1985.280 |
| Accipitriformes | Accipridae   | <i>Buteo</i>       | <i>buteo</i>        |                       | adult                  | 3                | Buzzard, Common         | Least Concern          |  | KMB1985.281 |
| Accipitriformes | Accipitridae | <i>Buteo</i>       | <i>buteo</i>        | with Song Thrush prey | adult                  | 1                | Buzzard, Common         | Least Concern          |  | KMB2018.2   |
| Accipitriformes | Accipitridae | <i>Geranoaetus</i> | <i>polyosoma</i>    |                       | adult and immature     | 2                | Hawk, Variable          | Least Concern          |  | KMB1985.290 |
| Otidiformes     | Otididae     | <i>Otis</i>        | <i>tarda</i>        | lepurana              | adult                  | 2                | Bustard, Great          | <b>Vulnerable</b>      |  | KMB1985.147 |
| Otidiformes     | Otididae     | <i>Otis</i>        | <i>tarda</i>        |                       | adult                  | 1                | Bustard, Great          | <b>Vulnerable</b>      |  | KMB1985.148 |
| Otidiformes     | Otididae     | <i>Chlamydotis</i> | <i>undulata</i>     |                       | adult                  | 1                | Bustard, Houbara        | <b>Vulnerable</b>      |  | KMB1985.143 |
| Otidiformes     | Otididae     | <i>Chlamydotis</i> | <i>macqueenii</i>   |                       | adult                  | 1                | Bustard, Macqueen's     | <b>Vulnerable</b>      |  | KMB1985.143 |
| Otidiformes     | Otididae     | <i>Lophotis</i>    | <i>gindiana</i>     |                       | adult                  | 1                | Bustard, Buff-crested   | Least Concern          | Kenya  | KMB1985.179 |
| Otidiformes     | Otididae     | <i>Lophotis</i>    | <i>ruficrista</i>   |                       | pair                   | 2                | Korhaan, Red-crested    | Least Concern          | shot in 1901   | KMB1985.146 |
| Otidiformes     | Otididae     | <i>Afrotis</i>     | <i>afra</i>         |                       | male                   | 1                | Korhaan, Southern Black | <b>Vulnerable</b>      |  | KMB1985.144 |
| Otidiformes     | Otididae     | <i>Lissotis</i>    | <i>melanogaster</i> |                       | pair                   | 2                | Bustard, Black-bellied  | Least Concern          |  | KMB1985.146 |
| Otidiformes     | Otididae     | <i>Tetrax</i>      | <i>tetrax</i>       |                       | 3 adults               | 3                | Bustard, Little         | <b>Near Threatened</b> |  | KMB1985.145 |
| Gruiformes      | Rallidae     | <i>Rallus</i>      | <i>aquaticus</i>    |                       | 2 adults               | 2                | Rail, Water             | Least Concern          |  | KMB1985.129 |
| Gruiformes      | Rallidae     | <i>Rallus</i>      | <i>aquaticus</i>    |                       | adult                  | 1                | Rail, Water             | Least Concern          |  | KMB1991.31  |
| Gruiformes      | Rallidae     | <i>Crex</i>        | <i>crex</i>         |                       | adult                  | 1                | Crake, Corn             | Least Concern          | Walney Island. Found with broken wing, 30 April 1984 | KMB1984.12  |
| Gruiformes      | Rallidae     | <i>Crex</i>        | <i>crex</i>         |                       | 2 adults 6 juveniles   | 8                | Crake, Corn             | Least Concern          |  | KMB1985.128 |
| Gruiformes      | Rallidae     | <i>Porzana</i>     | <i>parva</i>        |                       | pair                   | 2                | Crake, Little           | Least Concern          |  | KMB1985.125 |
| Gruiformes      | Rallidae     | <i>Porzana</i>     | <i>pusilla</i>      |                       | 2 adults               | 2                | Crake, Baillon's        | Least Concern          |  | KMB1985.127 |
| Gruiformes      | Rallidae     | <i>Porzana</i>     | <i>porzana</i>      |                       | 2 adults 3 juveniles   | 5                | Crake, Spotted          | Least Concern          |  | KMB1985.126 |
| Gruiformes      | Rallidae     | <i>Porphyrio</i>   | <i>melanotus</i>    |                       | adult                  | 1                | Swamphen, Australasian  | Least Concern          | South Australia                                      | KMB1985.132 |
| Gruiformes      | Rallidae     | <i>Porphyrio</i>   | <i>melanotus</i>    |                       | two adults             | 2                | Swamphen, Australasian  | Least Concern          | South Australia                                      | KMB1985.228 |
| Gruiformes      | Rallidae     | <i>Gallinula</i>   | <i>chloropus</i>    |                       | 2 adults 8 juveniles   | 10               | Moorhen, Common         | Least Concern          |  | KMB1985.130 |
| Gruiformes      | Rallidae     | <i>Gallinula</i>   | <i>chloropus</i>    |                       | adult                  | 1                | Moorhen, Common         | Least Concern          |  | KMB1991.31  |
| Gruiformes      | Rallidae     | <i>Fulica</i>      | <i>atra</i>         |                       | pair & 6 juveniles     | 8                | Coot, Eurasian          | Least Concern          |  | KMB1985.131 |

| Order            | family           | genus                | species                | subspecies | gender / age / plumage                        | No. of specimens | Common name             | IUCN Red list status         | Source of specimen              | Case number |
|------------------|------------------|----------------------|------------------------|------------|---|------------------|-------------------------|------------------------------|---------------------------------|-------------|
| Gruiformes       | Rallidae         | <i>Fulica</i>        | <i>atra</i>            |            | adult   | 1                | Coot, Eurasian          | Least Concern                | Fisher Tarn, Kendal, March 1981 | KMB1982.12  |
| Gruiformes       | Gruidae          | <i>Grus</i>          | <i>grus</i>            |            | adult   | 1                | Crane, Common           | Least Concern                |                                 | KMB1985.136 |
| Chariadriiformes | Turnicidae       | <i>Turnix</i>        | <i>sylvaticus</i>      | lepurana   | pair  | 2                | Buttonquail, Common     | Least Concern                |                                 | KMB1985.138 |
| Chariadriiformes | Turnicidae       | <i>Turnix</i>        | <i>sylvaticus</i>      |            | adult   | 1                | Buttonquail, Common     | Least Concern                | Kenya                           | KMB1985.179 |
| Charadriiformes  | Burhinidae       | <i>Burhinus</i>      | <i>oediconemus</i>     |            | 2 adults 1 juvenile                           | 3                | Stone-curlew, Eurasian  | Least Concern                |                                 | KMB1985.117 |
| Charadriiformes  | Haematopodidae   | <i>Haematopus</i>    | <i>ostralegus</i>      |            | 2 adults, 3 juveniles 1 egg                   | 5                | Oystercatcher, Eurasian | <b>Near threatened</b>       |                                 | KMB1985.296 |
| Charadriiformes  | Haematopodidae   | <i>Haematopus</i>    | <i>unicolor</i>        |            | adult   | 1                | Oystercatcher, Variable | Least Concern                |                                 | KMB1985.238 |
| Charadriiformes  | Haematopodidae   | <i>Haematopus</i>    | <i>fuliginosus</i>     |            | adults  | 2                | Oystercatcher, Sooty    | Least Concern                |                                 | KMB1985.238 |
| Charadriiformes  | Recurvirostridae | <i>Himantopus</i>    | <i>himantopus</i>      |            | adults  | 2                | Stilt, Black-winged     | Least Concern                |                                 | KMB1985.133 |
| Charadriiformes  | Recurvirostridae | <i>Himantopus</i>    | <i>leucocephalus</i>   |            | adults  | 2                | Stilt, White-headed     | Least Concern                |                                 | KMB1985.223 |
| Charadriiformes  | Recurvirostridae | <i>Himantopus</i>    | <i>novaezelandiae</i>  |            | adult   | 1                | Stilt, Black            | <b>Critically endangered</b> |                                 | KMB1985.223 |
| Charadriiformes  | Recurvirostridae | <i>Recurvirostra</i> | <i>avosetta</i>        |            | adults  | 2                | Avocet, Pied            | Least Concern                |                                 | KMB1985.134 |
| Charadriiformes  | Recurvirostridae | <i>Recurvirostra</i> | <i>novaehollandiae</i> |            | adult   | 1                | Avocet, Red-necked      | Least Concern                |                                 | KMB1985.223 |
| Charadriiformes  | Charadriidae     | <i>Vanellus</i>      | <i>vanellus</i>        |            | 2 adults 4 juveniles                          | 6                | Lapwing, Northern       | Least Concern                |                                 | KMB1985.87  |
| Charadriiformes  | Charadriidae     | <i>Vanellus</i>      | <i>vanellus</i>        |            | adults  | 2                | Lapwing, Northern       | Least Concern                |                                 | KMB1991.31  |
| Charadriiformes  | Charadriidae     | <i>Pluvialis</i>     | <i>apricaria</i>       |            | 2 adults                                      | 2                | Plover, European Golden | Least Concern                |                                 | KMB1985.85  |
| Charadriiformes  | Charadriidae     | <i>Pluvialis</i>     | <i>apricaria</i>       |            | 2 adults, 1 in breeding plumage & 4 juveniles | 6                | Plover, European Golden | Least Concern                |                                 | KMB1985.86  |
| Charadriiformes  | Charadriidae     | <i>Pluvialis</i>     | <i>apricaria</i>       |            | adult - damaged                               | 1                | Plover, European Golden | Least Concern                |                                 | KMB2018.7   |
| Charadriiformes  | Charadriidae     | <i>Pluvialis</i>     | <i>squatarola</i>      |            | 2 adults, 1 in breeding plumage               | 2                | Plover, Grey            | Least Concern                |                                 | KMB1985.82  |
| Charadriiformes  | Charadriidae     | <i>Charadrius</i>    | <i>hiaticula</i>       |            | pair, egg & 3 juveniles                       | 5                | Plover, Common Ringed   | Least Concern                |                                 | KMB1985.83  |
| Charadriiformes  | Charadriidae     | <i>Charadrius</i>    | <i>dubius</i>          |            | adult & immature                              | 2                | Plover, Little Ringed   | Least Concern                |                                 | KMB1985.84  |
| Charadriiformes  | Charadriidae     | <i>Charadrius</i>    | <i>alexandrinus</i>    |            | 2 adults, 3 juveniles                         | 5                | Plover, Kentish         | Least Concern                |                                 | KMB1985.81  |

| Order           | family        | genus                | species             | subspecies | gender / age / plumage | No. of specimens | Common name                   | IUCN Red list status         | Source of specimen                               | Case number    |
|-----------------|---------------|----------------------|---------------------|------------|------------------------|------------------|-------------------------------|------------------------------|--|----------------|
| Charadriiformes | Charadriidae  | <i>Charadrius</i>    | <i>morinellus</i>   |            | 2 adults               | 2                | Dotterel, Eurasian            | Least Concern                |  | KMB1985.104    |
| Charadriiformes | Rostratulidae | <i>Nycticryphes</i>  | <i>semicollaris</i> |            | adult                  | 1                | Painted-snipe, South American | Least Concern                |  | KMB1985.230    |
| Charadriiformes | Jacanidae     | <i>Actophilornis</i> | <i>africanus</i>    |            | adult                  | 1                | Jacana, African               | Least Concern                | Zimbabwe   | KMB1985.325.83 |
| Charadriiformes | Jacanidae     | <i>Jacana</i>        | <i>jacana</i>       |            | adult                  | 1                | Jacana, Wattled               | Least Concern                |  | KMB1985.230    |
| Charadriiformes | Scolopacidae  | <i>Scolopax</i>      | <i>rusticola</i>    |            | adult                  | 1                | Woodcock, Eurasian            | Least Concern                | Windermere, March 1979                           | KMB1980.13     |
| Charadriiformes | Scolopacidae  | <i>Scolopax</i>      | <i>rusticola</i>    |            | 2 adults 4 juveniles   | 6                | Woodcock, Eurasian            | Least Concern                |  | KMB1985.116    |
| Charadriiformes | Scolopacidae  | <i>Lymnocyptes</i>   | <i>minimus</i>      |            | adults                 | 2                | Snipe, Jack                   | Least Concern                |  | KMB1985.109    |
| Charadriiformes | Scolopacidae  | <i>Gallinago</i>     | <i>media</i>        |            | adults                 | 2                | Snipe, Great                  | <b>Near Threatened</b>       |  | KMB1985.110    |
| Charadriiformes | Scolopacidae  | <i>Gallinago</i>     | <i>gallinago</i>    |            | adult                  | 1                | Snipe, Common                 | Least Concern                | Burneside, Jan 1979                              | KMB1980.4      |
| Charadriiformes | Scolopacidae  | <i>Gallinago</i>     | <i>gallinago</i>    |            | adults                 | 2                | Snipe, Common                 | Least Concern                |  | KMB1985.111    |
| Charadriiformes | Scolopacidae  | <i>Gallinago</i>     | <i>gallinago</i>    |            | adults                 | 2                | Snipe, Common                 | Least Concern                |  | KMB1991.31     |
| Charadriiformes | Scolopacidae  | <i>Limnodromus</i>   | <i>scolopaceus</i>  |            | juvenile               | 1                | Dowitcher, Long-billed        | Least Concern                |  | KMB1985.108    |
| Charadriiformes | Scolopacidae  | <i>Limosa</i>        | <i>limosa</i>       |            | winter plumage         | 2                | Godwit, Black-tailed          | <b>Near Threatened</b>       |  | KMB1985.73     |
| Charadriiformes | Scolopacidae  | <i>Limosa</i>        | <i>limosa</i>       |            | breeding plumage       | 2                | Godwit, Black-tailed          | <b>Near Threatened</b>       |  | KMB1985.74     |
| Charadriiformes | Scolopacidae  | <i>Limosa</i>        | <i>lapponica</i>    |            | adults                 | 2                | Godwit, Bar-tailed            | Least Concern                |  | KMB1985.75     |
| Charadriiformes | Scolopacidae  | <i>Limosa</i>        | <i>lapponica</i>    |            | winter                 | 2                | Godwit, Bar-tailed            | Least Concern                |  | KMB1985.76     |
| Charadriiformes | Scolopacidae  | <i>Numenius</i>      | <i>borealis</i>     |            | 1 adult                | 1                | Curlew, Eskimo                | <b>Critically endangered</b> |  | KMB1985.113    |
| Charadriiformes | Scolopacidae  | <i>Numenius</i>      | <i>phaeopus</i>     |            | 2 adults               | 2                | Whimbrel                      | Least Concern                |  | KMB1985.114    |
| Charadriiformes | Scolopacidae  | <i>Numenius</i>      | <i>arquata</i>      |            | 2 adults 4 juveniles   | 6                | Curlew, Eurasian              | <b>Near Threatened</b>       |  | KMB1985.115    |
| Charadriiformes | Scolopacidae  | <i>Numenius</i>      | <i>arquata</i>      |            | 1 adult                | 1                | Curlew, Eurasian              | <b>Near Threatened</b>       |  | KMB2017.4      |
| Charadriiformes | Scolopacidae  | <i>Bartramia</i>     | <i>longicauda</i>   |            | adult                  | 1                | Sandpiper, Upland             | Least Concern                |  | KMB1985.90     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>erythropus</i>   |            | breeding plumage       | 2                | Redshank, Spotted             | Least Concern                |  | KMB1985.78     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>totanus</i>      |            | adult                  | 1                | Redshank, Common              | Least Concern                | Kendal, Found dead, Jan 1979                     | KMB1979.11     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>totanus</i>      |            | adult                  | 1                | Redshank, Common              | Least Concern                | Grange-over-Sands, Cumbria, Nov 1978 (fish nets) | KMB1979.12     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>totanus</i>      |            | 2 adults 4 juveniles   | 6                | Redshank, Common              | Least Concern                |  | KMB1985.79     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>nebularia</i>    |            | 2 adults               | 2                | Greenshank, Common            | Least Concern                |  | KMB1985.80     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>flavipes</i>     |            | 2 adults               | 2                | Lesser Yellowlegs             | Least Concern                |  | KMB1985.77     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>ochropus</i>     |            | 2 adults               | 2                | Sandpiper, Green              | Least Concern                |  | KMB1985.91     |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>solitaria</i>    |            | 1 adult                | 1                | Sandpiper, Solitary           | Least Concern                |  | KMB1985.100    |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>solitaria</i>    |            | 2 adults               | 2                | Sandpiper, Solitary           | Least Concern                |  | KMB1985.101    |
| Charadriiformes | Scolopacidae  | <i>Tringa</i>        | <i>glareola</i>     |            | 2 adults               | 2                | Sandpiper, Wood               | Least Concern                |  | KMB1985.97     |

| Order           | family       | genus                  | species              | subspecies | gender / age / plumage         | No. of specimens | Common name                         | IUCN Red list status   | Source of specimen           | Case number    |
|-----------------|--------------|------------------------|----------------------|------------|--------------------------------|------------------|-------------------------------------|------------------------|------------------------------|----------------|
| Charadriiformes | Scolopacidae | <i>Actitis</i>         | <i>hypoleucos</i>    |            | 2 adults 4 juveniles           | 6                | Sandpiper, Common                   | Least Concern          |                              | KMB1985.102    |
| Charadriiformes | Scolopacidae | <i>Actitis</i>         | <i>macularius</i>    |            | 2 breeding adults, 3 juveniles | 5                | Sandpiper, Spotted                  | Least Concern          |                              | KMB1985.105    |
| Charadriiformes | Scolopacidae | <i>Arenaria</i>        | <i>interpres</i>     |            | 3 adults                       | 3                | Turnstone, Ruddy                    | Least Concern          |                              | KMB1985.98     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>canutus</i>       |            | winter                         | 2                | Knot, Red                           | Least Concern          |                              | KMB1985.88     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>canutus</i>       |            | breeding                       | 2                | Knot, Red                           | Least Concern          |                              | KMB1985.89     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>alba</i>          |            | 3 adults                       | 3                | Sanderling                          | Least Concern          |                              | KMB1985.95     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>minuta</i>        |            | 4 adults                       | 4                | Stint, Little                       | Least Concern          |                              | KMB1985.99     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>temminckii</i>    |            | 4 adults                       | 4                | Stint, Temminck's                   | Least Concern          |                              | KMB1985.99     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>temminckii</i>    |            | adult                          | 1                | Stint, Temminck's                   | Least Concern          | Winchelsea, 1915             | KMB1985.96     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>melanotus</i>     |            | adult                          | 1                | Sandpiper, Pectoral                 | Least Concern          | Winchelsea, 1915             | KMB1985.96     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>ferruginea</i>    |            | 2 adults                       | 2                | Sandpiper, Curlew                   | Least Concern          |                              | KMB1985.93     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>maritima</i>      |            | 2 adults                       | 2                | Sandpiper, Purple                   | Least Concern          |                              | KMB1985.92     |
| Charadriiformes | Scolopacidae | <i>Calidris</i>        | <i>alpina</i>        |            | 2 adults & 4 pulli             | 6                | Dunlin                              | Least Concern          |                              | KMB1985.103    |
| Charadriiformes | Scolopacidae | <i>Tryngites</i>       | <i>subruficollis</i> |            | adults                         | 2                | Sandpiper, Buff-breasted            | <b>Near Threatened</b> |                              | KMB1985.94     |
| Charadriiformes | Scolopacidae | <i>Philomachus</i>     | <i>pugnax</i>        |            | 8 adults                       | 8                | Ruff                                | Least Concern          |                              | KMB1985.112    |
| Charadriiformes | Scolopacidae | <i>Phalaropus</i>      | <i>lobatus</i>       |            | 2 adults                       | 2                | Phalarope, Red-necked               | Least Concern          |                              | KMB1985.107    |
| Charadriiformes | Scolopacidae | <i>Phalaropus</i>      | <i>fulicarius</i>    |            | 2 breeding 1 winter            | 3                | Phalarope, Grey (aka Red Phalarope) | Least Concern          |                              | KMB1985.106    |
| Charadriiformes | Glareolidae  | <i>Rhinoptilus</i>     | <i>cinctus</i>       |            | adult                          | 1                | Courser, Three-banded               | Least Concern          | Kenya                        | KMB1985.327.31 |
| Charadriiformes | Glareolidae  | <i>Glareola</i>        | <i>pratincola</i>    |            | 2 adults                       | 2                | Pratincole, Collared                | Least Concern          |                              | KMB1985.157    |
| Charadriiformes | Laridae      | <i>Anous</i>           | <i>stolidus</i>      |            | adult                          | 1                | Noddy, Brown                        | Least Concern          |                              | KMB1984.156    |
| Charadriiformes | Laridae      | <i>Rissa</i>           | <i>tridactyla</i>    |            | adult                          | 1                | Kittiwake, Black-legged             | Least Concern          | Watercrock, Kendal, 1982     | KMB1982.14     |
| Charadriiformes | Laridae      | <i>Rissa</i>           | <i>tridactyla</i>    |            | 2 adults, 2 juveniles          | 4                | Kittiwake, Black-legged             | Least Concern          |                              | KMB1984.123    |
| Charadriiformes | Laridae      | <i>Rissa</i>           | <i>tridactyla</i>    |            | adult                          | 1                | Kittiwake, Black-legged             | Least Concern          | Gooseholme, Kendal, Jan 1984 | KMB1986.1      |
| Charadriiformes | Laridae      | <i>Pagophila</i>       | <i>eburnea</i>       |            | adult & subadult               | 1                | Gull, Ivory                         | <b>Near Threatened</b> |                              | KMB1984.125    |
| Charadriiformes | Laridae      | <i>Xema</i>            | <i>sabini</i>        |            | adult                          | 1                | Gull, Sabine's                      | Least Concern          |                              | KMB1984.129    |
| Charidiformes   | Laridae      | <i>Chroicocephalus</i> | <i>ridibundus</i>    |            | adult                          | 1                | Gull, Black-headed                  | Least Concern          | Kendal, June 1978            | KMB1979.3      |
| Charidiformes   | Laridae      | <i>Chroicocephalus</i> | <i>ridibundus</i>    |            | adult                          | 1                | Gull, Black-headed                  | Least Concern          | Siddick, Whitehaven, 1981    | KMB1981.16     |
| Charadriiformes | Laridae      | <i>Chroicocephalus</i> | <i>ridibundus</i>    |            | 2 adults, 2 juv's, & egg       | 4                | Gull, Black-headed                  | Least Concern          |                              | KMB1984.130    |

| Order           | family  | genus                  | species             | subspecies | gender / age / plumage        | No. of specimens | Common name                 | IUCN Red list status | Source of specimen                    | Case number |
|-----------------|---------|------------------------|---------------------|------------|-------------------------------|------------------|-----------------------------|----------------------|---------------------------------------|-------------|
| Charadriiformes | Laridae | <i>Chroicocephalus</i> | <i>ridibundus</i>   |            | winter plumage                | 1                | Gull, Black-headed          | Least Concern        | Ambleside, road casualty 1982         | KMB1986.4   |
| Charadriiformes | Laridae | <i>Hydrocoloeus</i>    | <i>minutus</i>      |            | breeding adult                | 1                | Gull, Little                | Least Concern        |                                       | KMB1984.128 |
| Charadriiformes | Laridae | <i>Hydrocoloeus</i>    | <i>minutus</i>      |            | winter adult                  | 1                | Gull, Little                | Least Concern        | Gibraltar Point, Lancashire, May 1914 | KMB1984.128 |
| Charadriiformes | Laridae | <i>Hydrocoloeus</i>    | <i>minutus</i>      |            | immature                      | 1                | Gull, Little                | Least Concern        |                                       | KMB1984.128 |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>canus</i>        |            | adult                         | 1                | Gull, Mew (aka Common Gull) | Least Concern        | Foulshaw, Cumbria. Aug. 1978          | KMB1979.15  |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>canus</i>        |            | 2 adults, 2 juveniles         | 4                | Gull, Mew (aka Common Gull) | Least Concern        |                                       | KMB1984.124 |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>marinus</i>      |            | 1 adult 1.2nd winter, 1 chick | 3                | Gull, Great Black-backed    | Least Concern        |                                       | KMB1984.122 |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>hyperboreus</i>  |            | 1 adult, 1st winter           | 2                | Gull, Glaucous              | Least Concern        |                                       | KMB1984.127 |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>glaucoides</i>   |            | 2 adults                      | 2                | Gull, Iceland               | Least Concern        |                                       | KMB1984.126 |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>argentatus</i>   |            | 2 adults, 2 juveniles         | 4                | Gull, European Herring      | Least Concern        |                                       | KMB1984.120 |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>fuscus</i>       |            | adult                         | 1                | Gull, Lesser Black-backed   | Least Concern        |                                       | KMB1984.5   |
| Charidiformes   | Laridae | <i>Larus</i>           | <i>fuscus</i>       |            | 2 adults, 2 juveniles         | 4                | Gull, Lesser Black-backed   | Least Concern        |                                       | KMB1984.121 |
| Charadriiformes | Laridae | <i>Gelochelidon</i>    | <i>nilotica</i>     |            | adult                         | 1                | Tern, Gull-billed           | Least Concern        |                                       | KMB1984.140 |
| Charadriiformes | Laridae | <i>Hydroprogne</i>     | <i>caspia</i>       |            | 2 adults                      | 2                | Tern, Caspian               | Least Concern        |                                       | KMB1984.141 |
| Charadriiformes | Laridae | <i>Thalasseus</i>      | <i>sandvicensis</i> |            | 2 adults, 2 juveniles         | 4                | Tern, Sandwich              | Least Concern        |                                       | KMB1984.131 |
| Charadriiformes | Laridae | <i>Sternula</i>        | <i>albifrons</i>    |            | 2 adults 1 egg                | 2                | Tern, Little                | Least Concern        |                                       | KMB1984.138 |
| Charadriiformes | Laridae | <i>Onychoprion</i>     | <i>fuscatus</i>     |            | 2 adults & egg                | 2                | Tern, Sooty                 | Least Concern        |                                       | KMB1984.134 |
| Charadriiformes | Laridae | <i>Sterna</i>          | <i>dougallii</i>    |            | 2 specimens                   | 2                | Tern, Roseate               | Least Concern        |                                       | KMB1984.132 |
| Charadriiformes | Laridae | <i>Sterna</i>          | <i>striata</i>      |            | adults in breeding plumage    | 2                | Tern, White-fronted         | Least Concern        |                                       | KMB1985.226 |
| Charadriiformes | Laridae | <i>Sterna</i>          | <i>hirundo</i>      |            | pair & 2 juveniles            | 4                | Tern, Common                | Least Concern        |                                       | KMB1984.136 |
| Charadriiformes | Laridae | <i>Sterna</i>          | <i>paradisaea</i>   |            | 2 adults, 3 juveniles         | 5                | Tern, Arctic                | Least Concern        |                                       | KMB1984.139 |
| Charadriiformes | Laridae | <i>Chlidonias</i>      | <i>albostratus</i>  |            | 2 adults                      | 2                | Tern, Black-fronted         | <b>Endangered</b>    |                                       | KMB1985.226 |
| Charadriiformes | Laridae | <i>Chlidonias</i>      | <i>hybrida</i>      |            | 1 breeding & 1 non-breeding   | 2                | Tern, Whiskered             | Least Concern        |                                       | KMB1984.133 |
| Charadriiformes | Laridae | <i>Chlidonias</i>      | <i>leucopterus</i>  |            | 2 adults                      | 2                | Tern, White-winged          | Least Concern        |                                       | KMB1984.137 |
| Charadriiformes | Laridae | <i>Chlidonias</i>      | <i>niger</i>        |            | 2 adults, 1 juvenile          | 3                | Tern, Black                 | Least Concern        |                                       | KMB1984.135 |

| Order           | family         | genus               | species               | subspecies | gender / age / plumage | No. of specimens | Common name                                    | IUCN Red list status | Source of specimen                            | Case number    |
|-----------------|----------------|---------------------|-----------------------|------------|------------------------|------------------|--|----------------------|---|----------------|
| Charadriiformes | Stercorariidae | <i>Stercorarius</i> | <i>skua</i>           |            | adult                  | 1                | Skua, Great                                    | Least Concern        | Flamborough Head, Yorkshire. Shot, Nov. 1917. | KMB1984.142    |
| Charadriiformes | Stercorariidae | <i>Stercorarius</i> | <i>skua</i>           |            | adult                  | 1                | Skua, Great                                    | Least Concern        |   | KMB1985.237.1  |
| Charadriiformes | Stercorariidae | <i>Stercorarius</i> | <i>pomarinus</i>      |            | adult                  | 1                | Skua, Pomarine                                 | Least Concern        |   | KMB1985.237.3  |
| Charadriiformes | Stercorariidae | <i>Stercorarius</i> | <i>parasiticus</i>    |            | adult & juvenile       | 2                | Jaeger, Parasitic (aka Arctic Skua)            | Least Concern        |   | KMB1984.143    |
| Charadriiformes | Stercorariidae | <i>Stercorarius</i> | <i>longicaudus</i>    |            | adult                  | 1                | Jaeger, Long-tailed                            | Least Concern        |   | KMB1985.237.2  |
| Charidiformes   | Alcidae        | <i>Alle</i>         | <i>alle</i>           |            | pair                   | 2                | Auk, Little                                    | Least Concern        | male from Shap, Cumbria. Date not recorded    | KMB1984.119    |
| Charidiformes   | Alcidae        | <i>Alle</i>         | <i>alle</i>           |            | adult                  | 1                | Auk, Little                                    | Least Concern        |   | KMB1985.236.5  |
| Charidiformes   | Alcidae        | <i>Uria</i>         | <i>lomvia</i>         |            | adult                  | 1                | Murre, Thick-billed (aka Brunnich's Guillemot) | Least Concern        |   | KMB1984.116    |
| Charidiformes   | Alcidae        | <i>Uria</i>         | <i>aalge</i>          |            | adult                  | 1                | Murre, Common (aka Common Guillemot)           | Least Concern        | Grange-over-Sands, Cumbria, 1976              | KMB1979.14     |
| Charidiformes   | Alcidae        | <i>Uria</i>         | <i>aalge</i>          |            | 2 adults & 1 juvenile  | 3                | Murre, Common (aka Common Guillemot)           | Least Concern        |   | KMB1985.236.2  |
| Charidiformes   | Alcidae        | <i>Alca</i>         | <i>torda</i>          |            | adult                  | 1                | Razorbill                                      | Least Concern        |   | KMB1984.117    |
| Charidiformes   | Alcidae        | <i>Alca</i>         | <i>torda</i>          |            | adult                  | 2                | Razorbill                                      | Least Concern        |   | KMB1985.235.3  |
| Charidiformes   | Alcidae        | <i>Alca</i>         | <i>torda</i>          |            | 4 adults & 1 juv       | 5                | Razorbill                                      | Least Concern        |   | KMB1985.236.1  |
| Charidiformes   | Alcidae        | <i>Cephus</i>       | <i>grylle</i>         |            | adult                  | 1                | Guillemot, Black                               | Least Concern        |   | KMB1984.117    |
| Charidiformes   | Alcidae        | <i>Cephus</i>       | <i>grylle</i>         |            | 2 adults, 3 juveniles  | 5                | Guillemot, Black                               | Least Concern        |   | KMB1984.118    |
| Charidiformes   | Alcidae        | <i>Fratercula</i>   | <i>arctica</i>        |            | adult & juv            | 2                | Puffin, Atlantic                               | Least Concern        |   | KMB1985.236.3  |
| Pterocliiformes | Pterocidae     | <i>Syrrhaptes</i>   | <i>paradoxus</i>      |            | 2 adults               | 2                | Sandgrouse, Pallas'                            | Least Concern        |   | KMB1985.139    |
| Pterocliiformes | Pterocidae     | <i>Syrrhaptes</i>   | <i>paradoxus</i>      |            | 2 adults               | 2                | Sandgrouse, Pallas'                            | Least Concern        |   | KMB1985.140    |
| Pterocliiformes | Pterocidae     | <i>Pterocles</i>    | <i>alchata</i>        |            | male                   | 1                | Sandgrouse, Pin-tailed                         | Least Concern        |   | KMB1985.141    |
| Pterocliiformes | Pterocidae     | <i>Pterocles</i>    | <i>exustus</i>        |            | adult                  | 1                | Sandgrouse, Chestnut-bellied                   | Least Concern        | Kenya   | KMB1985.179    |
| Pterocliiformes | Pterocidae     | <i>Pterocles</i>    | <i>exustus</i>        |            | male                   | 1                | Sandgrouse, Chestnut-bellied                   | Least Concern        | Kenya   | KMB1985.327.30 |
| Pterocliiformes | Pterocidae     | <i>Pterocles</i>    | <i>guttaralis</i>     |            | pair                   | 2                | Sandgrouse, Yellow-throated                    | Least Concern        |   | KMB1985.141    |
| Pterocliiformes | Pterocidae     | <i>Pterocles</i>    | <i>lichtensteinii</i> |            | pair                   | 2                | Sandgrouse, Lichtenstein's                     | Least Concern        |   | KMB1985.141    |
| Pterocliiformes | Pterocidae     | <i>Pterocles</i>    | <i>indicus</i>        |            | pair                   | 2                | Sandgrouse, Painted                            | Least Concern        |   | KMB1985.141    |
| Columbiformes   | Columbidae     | <i>Columba</i>      | <i>livia</i>          |            | adult                  | 1                | Dove, Rock                                     | Least Concern        |   | KMB1984.109    |
| Columbiformes   | Columbidae     | <i>Columba</i>      | <i>oenas</i>          |            | adult                  | 2                | Dove, Stock                                    | Least Concern        |   | KMB1984.108    |

| Order           | family       | genus                | species                 | subspecies         | gender / age / plumage       | No. of specimens | Common name             | IUCN Red list status | Source of specimen                                 | Case number    |
|-----------------|--------------|----------------------|-------------------------|--------------------|------------------------------|------------------|-------------------------|----------------------|--|----------------|
| Columbiformes   | Columbidae   | <i>Columba</i>       | <i>oenas</i>            |                    | adult                        | 1                | Dove, Stock             | Least Concern        |  | KMB1984.109    |
| Columbiformes   | Columbidae   | <i>Columba</i>       | <i>palumbus</i>         |                    | adult                        | 1                | Pigeon, Common Wood     | Least Concern        |  | KMB1984.109    |
|                 |              |                      |                         |                    | adult                        |                  |                         |                      | Burton-in-Kendal, Cumbria, road casualty Dec. 1980 |                |
| Columbiformes   | Columbidae   | <i>Columba</i>       | <i>palumbus</i>         |                    |                              | 1                | Pigeon, Common Wood     | Least Concern        |  | KMB1982.13     |
| Columbiformes   | Columbidae   | <i>Columba</i>       | <i>palumbus</i>         |                    | adult                        | 1                | Pigeon, Common Wood     | Least Concern        |  | T.C27          |
| Columbiformes   | Columbidae   | <i>Streptopelia</i>  | <i>turtur</i>           |                    | adult                        | 1                | Dove, European Turtle   | Least Concern        |  | KMB1984.109    |
| Columbiformes   | Columbidae   | <i>Ocyphaps</i>      | <i>lophotes</i>         |                    | adult                        | 1                | Pigeon, Crested         | Least Concern        |  | KMB1985.193    |
| Columbiformes   | Columbidae   | <i>Geopelia</i>      | <i>placida</i>          |                    | adult                        | 1                | Dove, Peaceful          | Least Concern        |  | KMB1985.198    |
| Columbiformes   | Columbidae   | <i>Treron</i>        | <i>calvus</i>           | <i>wakefieldii</i> | adult                        | 1                | Pigeon, African Green   | Least Concern        | Tanzania   | KMB1985.326.1  |
| Columbiformes   | Columbidae   | <i>Hemiphaga</i>     | <i>chathamensis</i>     |                    | adults                       | 2                | Pigeon, Chatham         | <b>vulnerable</b>    |  | KMB1985.227    |
| Musophagiformes | Musophagidae | <i>Turaco</i>        | <i>livingstonii</i>     |                    | adult                        | 1                | Turaco, Livingstone's   | Least Concern        | Zimbabwe   | KMB1985.325.81 |
| Musophagiformes | Musophagidae | <i>Turaco</i>        | <i>leucolophus</i>      |                    | adult                        | 1                | Turaco, White-crested   | Least Concern        | Kenya  | KMB1985.327.2  |
| Musophagiformes | Musophagidae | <i>Turaco</i>        | <i>hartlaubi</i>        |                    | adult                        | 1                | Turaco, Hartlaub's      | Least Concern        | Kenya  | KMB1985.327.3  |
| Musophagiformes | Musophagidae | <i>Turaco</i>        | <i>porphyreolophus</i>  |                    | adult                        | 1                | Turaco, Purple-crested  | Least Concern        | Zimbabwe   | KMB1985.325.54 |
| Musophagiformes | Musophagidae | <i>Musophaga</i>     | <i>rossae</i>           |                    | adult                        | 1                | Turaco, Ross's          | Least Concern        | Kenya  | KMB1985.327.1  |
|                 |              | <i>Ceuthmochares</i> |                         |                    | adult                        |                  |                         |                      | Tanzania   |                |
| Cuculiformes    | Cuculidae    |                      | <i>aereus</i>           |                    |                              | 1                | Malkoha, Blue           | Least Concern        |  | KMB1985.326.8  |
| Cuculiformes    | Cuculidae    | <i>Coccyzus</i>      | <i>americanus</i>       |                    | adult                        | 1                | Cuckoo, Yellow-billed   | Least Concern        |  | KMB1994.27     |
| Cuculiformes    | Cuculidae    | <i>Coccyzus</i>      | <i>erythrophthalmus</i> |                    | adult                        | 1                | Cuckoo, Black-billed    | Least Concern        |  | KMB1994.27     |
| Cuculiformes    | Cuculidae    | <i>Chrysococcyx</i>  | <i>caprius</i>          |                    | male                         | 1                | Cuckoo, Diederik        | Least Concern        | Zimbabwe   | KMB1985.325.52 |
|                 |              |                      |                         |                    | male                         |                  |                         |                      | The Transvaal                                      |                |
| Cuculiformes    | Cuculidae    | <i>Chrysococcyx</i>  | <i>caprius</i>          |                    |                              | 1                | Cuckoo, Diederik        | Least Concern        |  | KMB1985.180.54 |
| Cuculiformes    | Cuculidae    | <i>Chrysococcyx</i>  | <i>klaas</i>            |                    | male                         | 1                | Cuckoo, Klaas's         | Least Concern        | Tanzania   | KMB1985.326.22 |
| Cuculiformes    | Cuculidae    | <i>Chrysococcyx</i>  | <i>cupreus</i>          |                    | male                         | 1                | Cuckoo, African Emerald | Least Concern        | Tanzania   | KMB1985.326.6  |
|                 |              |                      |                         |                    | adult                        |                  |                         |                      | near Sydney, Australia                             |                |
| Cuculiformes    | Cuculidae    | <i>Chrysococcyx</i>  | <i>lucidus</i>          |                    |                              | 1                | Cuckoo, Shining Bronze  | Least Concern        |  | KMB1985.177.67 |
| Cucliformes     | Cuculidae    | <i>Cacomantis</i>    | <i>variolosus</i>       |                    | adult                        | 1                | Cuckoo, Brush           | Least Concern        |  | KMB1985.199    |
| Cucliformes     | Cuculidae    | <i>Cuculus</i>       | <i>canorus</i>          |                    | juvenile, with meadow pipit  |                  | Cuckoo, Common          | Least Concern        |  | KMB1981.28     |
|                 |              |                      |                         |                    | juvenile, with pied wagtail  | 1                |                         |                      |  |                |
| Cucliformes     | Cuculidae    | <i>Cuculus</i>       | <i>canorus</i>          |                    |                              | 1                | Cuckoo, Common          | Least Concern        |  | KMB1984.97     |
| Cucliformes     | Cuculidae    | <i>Cuculus</i>       | <i>canorus</i>          |                    | pair                         | 2                | Cuckoo, Common          | Least Concern        |  | KMB1984.98     |
|                 |              |                      |                         |                    | juvenile, with reed buntings | 1                |                         |                      |  |                |
| Cucliformes     | Cuculidae    | <i>Cuculus</i>       | <i>canorus</i>          |                    |                              | 1                | Cuckoo, Common          | Least Concern        |  | KMB1984.47.2   |
| Strigiformes    | Tytonidae    | <i>Tyto</i>          | <i>alba</i>             |                    | adult                        | 1                | Owl, Western Barn       | Least Concern        |  | KMB1985.252    |
| Strigiformes    | Tytonidae    | <i>Tyto</i>          | <i>alba</i>             |                    | adult                        | 2                | Owl, Western Barn       | Least Concern        |  | KMB1985.253    |
| Strigiformes    | Tytonidae    | <i>Tyto</i>          | <i>alba</i>             |                    | adult                        | 1                | Owl, Western Barn       | Least Concern        |  | KMB1985.254    |

| Order            | family        | genus               | species           | subspecies | gender / age / plumage | No. of specimens | Common name                      | IUCN Red list status | Source of specimen                   | Case number |
|------------------|---------------|---------------------|-------------------|------------|------------------------|------------------|----------------------------------|----------------------|--------------------------------------|-------------|
| Strigiformes     | Tytonidae     | <i>Tyto</i>         | <i>alba</i>       |            | adult                  | 1                | Owl, Western Barn                | Least Concern        | Gilpin Bridge, Cumbria. March 1982   | KMB1983.363 |
| Strigiformes     | Tytonidae     | <i>Tyto</i>         | <i>alba</i>       |            | adult                  | 1                | Owl, Western Barn                | Least Concern        |                                      | KMB2018.3   |
| Strigiformes     | Strigidae     | <i>Otus</i>         | <i>scops</i>      |            | adults                 | 2                | Owl, Eurasian Scops              | Least Concern        |                                      | KMB1985.255 |
| Striiformes      | Strigidae     | <i>Bubo</i>         | <i>scandiacus</i> |            | adult                  | 1                | Owl, Snowy                       | Least Concern        |                                      | KMB1985.257 |
| Strigiformes     | Strigidae     | <i>Bubo</i>         | <i>bubo</i>       |            | adult                  | 2                | Eagle-Owl, Eurasian              | Least Concern        |                                      | KMB1985.258 |
| Strigiformes     | Strigidae     | <i>Strix</i>        | <i>aluco</i>      |            | adult                  | 1                | Owl, Tawny                       | Least Concern        |                                      | KMB1979.10  |
| Strigiformes     | Strigidae     | <i>Strix</i>        | <i>aluco</i>      |            | adult                  | 1                | Owl, Tawny                       | Least Concern        |                                      | KMB1985.225 |
| Strigiformes     | Strigidae     | <i>Strix</i>        | <i>aluco</i>      |            | adults                 | 2                | Owl, Tawny                       | Least Concern        |                                      | KMB1985.249 |
| Strigiformes     | Strigidae     | <i>Strix</i>        | <i>aluco</i>      |            | adult                  | 1                | Owl, Tawny                       | Least Concern        |                                      | KMB2018.4   |
|                  |               |                     |                   |            | adult                  |                  |                                  |                      |                                      |             |
| Strigiformes     | Strigidae     | <i>Strix</i>        | <i>aluco</i>      |            |                        | 1                | Owl, Tawny                       | Least concern        | Milnthorpe Rd., Kendal, 1983         | KMB1986.3   |
| Strigiformes     | Strigidae     | <i>Surnia</i>       | <i>ulula</i>      |            | adults                 | 2                | Hawk-owl, Northern               | Least Concern        |                                      | KMB1985.251 |
|                  |               |                     |                   |            | adult                  |                  |                                  |                      |                                      |             |
| Strigiformes     | Strigidae     | <i>Athene</i>       | <i>Noctua</i>     |            |                        | 1                | Owl, Little                      | Least Concern        | Milnthorpe Rd., Kendal, 1976         | KMB1979.13  |
|                  |               |                     |                   |            | adult                  |                  |                                  |                      |                                      |             |
| Strigiformes     | Strigidae     | <i>Athene</i>       | <i>Noctua</i>     |            |                        | 1                | Owl, Little                      | Least Concern        | Natland, Cumbria                     | KMB1982.15  |
| Strigiformes     | Strigidae     | <i>Athene</i>       | <i>Noctua</i>     |            | adult                  | 2                | Owl, Little                      | Least Concern        |                                      | KMB1985.246 |
| Strigiformes     | Strigidae     | <i>Athene</i>       | <i>brama</i>      |            | adult                  | 1                | Owlet, Spotted                   | Least Concern        |                                      | KMB1985.203 |
|                  |               |                     |                   |            | adults                 |                  |                                  |                      |                                      |             |
| Strigiformes     | Strigidae     | <i>Aegolius</i>     | <i>funereus</i>   |            |                        | 2                | Owl, Boreal (aka Tengmalm's Owl) | Least Concern        |                                      | KMB1985.250 |
| Strigiformes     | Strigidae     | <i>Ninox</i>        | <i>boobook</i>    |            | adult                  | 2                | Boobook, Southern                | Least Concern        |                                      | KMB1985.221 |
|                  |               |                     |                   |            | adult                  |                  |                                  |                      |                                      |             |
| Strigiformes     | Strigidae     | <i>Asio</i>         | <i>otus</i>       |            |                        | 1                | Owl, Long-eared                  | Least Concern        | Shap, Cumbria. Rd casualty July 1979 | KMB1980.11  |
| Strigiformes     | Strigidae     | <i>Asio</i>         | <i>otus</i>       |            | adults                 | 2                | Owl, Long-eared                  | Least Concern        |                                      | KMB1985.248 |
| Strigiformes     | Strigidae     | <i>Asio</i>         | <i>otus</i>       |            | adult                  | 1                | Owl, Long-eared                  | Least Concern        |                                      | KMB1985.256 |
|                  |               |                     |                   |            | adult                  |                  |                                  |                      |                                      |             |
| Strigiformes     | Strigidae     | <i>Asio</i>         | <i>flammeus</i>   |            |                        | 1                | Owl, Short-eared                 | Least Concern        | Shap, Cumbria, Road casualty, 1979   | KMB1979.7   |
|                  |               |                     |                   |            | adult                  |                  |                                  |                      |                                      |             |
| Strigiformes     | Strigidae     | <i>Asio</i>         | <i>flammeus</i>   |            |                        | 1                | Owl, Short-eared                 | Least Concern        | Walney Island, November 1983         | KMB1985.332 |
| Strigiformes     | Strigidae     | <i>Asio</i>         | <i>flammeus</i>   |            | adults                 | 2                | Owl, Short-eared                 | Least Concern        |                                      | KMB1985.247 |
| Caprimulgiformes | Caprimulgidae | <i>Caprimulgus</i>  | <i>europaeus</i>  |            | 2 adults, 2 juveniles  | 4                | Nightjar, European               | Least Concern        |                                      | KMB1984.99  |
| Apodiformes      | Apodidae      | <i>Tachymarptis</i> | <i>melba</i>      |            | adults                 | 2                | Swift, Alpine                    | Least Concern        |                                      | KMB1984.106 |



| Order       | family      | genus                | species             | subspecies | gender / age / plumage | No. of specimens | Common name                 | IUCN Red list status | Source of specimen | Case number    |
|-------------|-------------|----------------------|---------------------|------------|------------------------|------------------|-----------------------------|----------------------|--------------------|----------------|
| Apodiformes | Apodidae    | <i>Apus</i>          | <i>apus</i>         |            | 2 adults & 1 juvenile  | 3                | Swift, Common               | Least Concern        |                    | KMB1984.105    |
| Apodiformes | Trochilidae | <i>Phaethornis</i>   | <i>ruber</i>        |            | adult                  | 1                | Hermit, Reddish             | Least Concern        |                    | KMB1985.161.55 |
| Apodiformes | Trochilidae | <i>Campylopterus</i> | <i>hemileucurus</i> |            | male                   | 1                | Sabrewing, Violet           | Least concern        |                    | KMB1985.161.21 |
| Apodiformes | Trochilidae | <i>Campylopterus</i> | <i>hemileucurus</i> |            | female                 | 1                | Sabrewing, Violet           | Least concern        |                    | KMB1985.161.42 |
| Apodiformes | Trochilidae | <i>Eupetomena</i>    | <i>macroura</i>     |            | male                   | 1                | Hummingbird, Swallow-tailed | Least concern        |                    | KMB1985.161.51 |
| Apodiformes | Trochilidae | <i>Eupetomena</i>    | <i>macroura</i>     |            | adult                  | 1                | Hummingbird, Swallow-tailed | Least concern        |                    | KMB1994.49     |
| Apodiformes | Trochilidae | <i>Florisuga</i>     | <i>mellivora</i>    |            | male                   | 1                | Jacobin, White-necked       | Least concern        |                    | KMB1985.161.44 |
| Apodiformes | Trochilidae | <i>Florisuga</i>     | <i>mellivora</i>    |            | male                   | 1                | Jacobin, White-necked       | Least concern        |                    | KMB1985.161.47 |
| Apodiformes | Trochilidae | <i>Florisuga</i>     | <i>mellivora</i>    |            | female                 | 1                | Jacobin, White-necked       | Least concern        |                    | KMB1985.161.58 |
| Apodiformes | Trochilidae | <i>Anthracothora</i> | <i>nigricollis</i>  |            | male                   | 1                | Mango, Black-throated       | Least concern        |                    | KMB1985.161.4  |
| Apodiformes | Trochilidae | <i>Anthracothora</i> | <i>nigricollis</i>  |            | male                   | 1                | Mango, Black-throated       | Least concern        |                    | KMB1985.161.34 |
| Apodiformes | Trochilidae | <i>Anthracothora</i> | <i>nigricollis</i>  |            | female                 | 1                | Mango, Black-throated       | Least concern        |                    | KMB1985.161.56 |
| Apodiformes | Trochilidae | <i>Topaza</i>        | <i>pella</i>        |            | male                   | 1                | Topaz, Crimson              | Least concern        |                    | KMB1985.161.29 |
| Apodiformes | Trochilidae | <i>Topaza</i>        | <i>pella</i>        |            | female                 | 1                | Topaz, Crimson              | Least concern        |                    | KMB1985.161.13 |
| Apodiformes | Trochilidae | <i>Topaza</i>        | <i>pella</i>        |            | female                 | 1                | Topaz, Crimson              | Least concern        |                    | KMB1985.161.35 |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1985.161.6  |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1985.161.30 |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1985.161.36 |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1985.161.37 |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1985.161.54 |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1985.161.57 |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1985.161.59 |
| Apodiformes | Trochilidae | <i>Chrysolampis</i>  | <i>mosquitus</i>    |            | male                   | 1                | Hummingbird, Ruby-topaz     | Least concern        |                    | KMB1994.49     |
| Apodiformes | Trochilidae | <i>Stephanoxis</i>   | <i>lalandi</i>      |            | adult                  | 1                | Plovercrest, Green-crowned  | Least concern        |                    | KMB1985.161.53 |
| Apodiformes | Trochilidae | <i>Lophornis</i>     | <i>ornatus</i>      |            | male                   | 1                | Coquette, tufted            | Least concern        |                    | KMB1985.161.15 |
| Apodiformes | Trochilidae | <i>Lophornis</i>     | <i>ornatus</i>      |            | female                 | 1                | Coquette, tufted            | Least concern        |                    | KMB1985.161.16 |
| Apodiformes | Trochilidae | <i>Chlorestes</i>    | <i>notata</i>       |            | male                   | 1                | Sapphire, Blue-chinned      | Least concern        |                    | KMB1985.161.32 |
| Apodiformes | Trochilidae | <i>Chlorostilbon</i> | <i>mellisugus</i>   |            | male                   | 1                | Emerald, Blue-tailed        | Least Concern        |                    | KMB1985.161.1  |

| Order       | family      | genus                | species                    | subspecies         | gender / age / plumage | No. of specimens | Common name                                | IUCN Red list status                                | Source of specimen | Case number    |
|-------------|-------------|----------------------|----------------------------|--------------------|------------------------|------------------|--|---|--------------------|----------------|
| Apodiformes | Trochilidae | <i>Chlorostilbon</i> | <i>mellisugus</i>          | duidae             | male                   | 1                | Emerald, Blue-tailed                       | Least Concern                                       |                    | KMB1985.161.60 |
| Apodiformes | Trochilidae | <i>Chlorostilbon</i> | <i>gibsoni</i>             |                    | male                   | 1                | Emerald, Red-billed                        | Least concern                                       |                    | KMB1985.161.9  |
| Apodiformes | Trochilidae | <i>Chlorostilbon</i> | <i>gibsoni</i>             |                    | male                   | 1                | Emerald, Red-billed                        | Least Concern                                       |                    | KMB1985.161.40 |
| Apodiformes | Trochilidae | <i>Chlorostilbon</i> | <i>lucidus</i>             |                    | male                   | 1                | Emerald, Glittering-bellied                | Least concern                                       |                    | KMB1985.161.2  |
| Apodiformes | Trochilidae | <i>Chlorostilbon</i> | <i>lucidus</i>             |                    | male                   | 1                | Emerald, Glittering-bellied                | Least concern                                       |                    | KMB1985.161.7  |
| Apodiformes | Trochilidae | <i>Thalurania</i>    | <i>colombica</i>           |                    | male                   | 1                | Woodnymph, Crowned                         | Least concern                                       |                    | KMB1985.161.38 |
| Apodiformes | Trochilidae | <i>Thalurania</i>    | <i>colombica</i>           |                    | male                   | 1                | Woodnymph, Crowned                         | Least concern                                       |                    | KMB1985.160.1  |
| Apodiformes | Trochilidae | <i>Thalurania</i>    | <i>glaucoptis</i>          |                    | male                   | 1                | Woodnymph, Violet-capped                   | Least Concern                                       |                    | KMB1985.161.17 |
| Apodiformes | Trochilidae | <i>Polytmus</i>      | <i>guainumbi</i>           |                    | male                   | 1                | Goldenthrout, White-tailed                 | Least Concern                                       |                    | KMB1985.161.3  |
| Apodiformes | Trochilidae | <i>Polytmus</i>      | <i>guainumbi</i>           |                    | adult                  | 1                | Goldenthrout, White-tailed                 | Least Concern                                       |                    | KMB1985.161.20 |
| Apodiformes | Trochilidae | <i>Polytmus</i>      | <i>theresia</i>            |                    | female                 | 1                | Goldenthrout, Green-tailed                 | Least Concern                                       |                    | KMB1985.161.61 |
| Apodiformes | Trochilidae | <i>Amazilia</i>      | <i>leucogaster</i>         |                    | adult                  | 1                | Emerald, Plain-bellied                     | Least Concern                                       |                    | KMB1985.161.23 |
| Apodiformes | Trochilidae | <i>Amazilia</i>      | <i>fimbriata</i>           |                    | male                   | 1                | Emerald, Glittering-throated               | Least Concern                                       |                    | KMB1985.161.12 |
| Apodiformes | Trochilidae | <i>Amazilia</i>      | <i>rosenbergi</i>          |                    | male                   | 1                | Hummingbird, Purple-chested                | Least Concern                                       |                    | KMB1985.161.22 |
| Apodiformes | Trochilidae | <i>Amazilia</i>      | <i>viridigaster</i>        |                    | male                   | 1                | Hummingbird, Green-bellied                 | Least Concern                                       |                    | KMB1985.161.50 |
| Apodiformes | Trochilidae | <i>Heliodoxa</i>     | <i>rubinoides</i>          |                    | male                   | 1                | Brilliant, Fawn-breasted                   | Least concern                                       |                    | KMB1985.161.46 |
| Apodiformes | Trochilidae | <i>Boissonneaua</i>  | <i>flavescens</i>          |                    | adult                  | 1                | Coronet, Buff-tailed                       | Least concern                                       |                    | KMB1985.161.43 |
| Apodiformes | Trochilidae | <i>Lafresnaya</i>    | <i>lafresnayi</i>          |                    | male                   | 1                | Velvetbreast, Mountain                     | Least concern                                       |                    | KMB1985.161.11 |
| Apodiformes | Trochilidae | <i>Coeligena</i>     | <i>torquata</i>            |                    | male                   | 1                | Inca, Collared                             | Least concern                                       |                    | KMB1994.49     |
| Apodiformes | Trochilidae | <i>Coeligena</i>     | <i>lutetiae</i>            |                    | male                   | 1                | Starfrontlet, Buff-winged                  | Least concern                                       |                    | KMB1985.161.31 |
| Apodiformes | Trochilidae | <i>Coeligena</i>     | <i>lutetiae x torquata</i> | composite specimen | male                   | 1                | Starfrontlet, Buff-winged x Inca, Collared |   |                    | KMB1985.161.45 |
| Apodiformes | Trochilidae | <i>Ensifera</i>      | <i>ensifera</i>            |                    | female                 | 1                | Hummingbird, Sword-billed                  | Least concern                                       |                    | KMB1985.161.49 |
| Apodiformes | Trochilidae | <i>Heliangelus</i>   | <i>mavors</i>              |                    | male                   | 1                | Sunangel, Orange-throated                  | Least concern                                       |                    | KMB1994.49     |
| Apodiformes | Trochilidae | <i>Heliangelus</i>   | <i>amethysticollis</i>     |                    | male                   | 1                | Sunangel, Amethyst-throated                | Least Concern                                       |                    | KMB1985.161.5  |
| Apodiformes | Trochilidae | <i>Heliangelus</i>   | <i>amethysticollis</i>     |                    | female                 | 1                | Sunangel, Amethyst-throated                | Least Concern                                       |                    | KMB1985.161.52 |
| Apodiformes | Trochilidae | <i>Eriocnemis</i>    | <i>vestita</i>             |                    | male                   | 1                | Puffleg, Glowing                           | Least concern                                       |                    | KMB1985.161.8  |
| Apodiformes | Trochilidae | <i>Eriocnemis</i>    | <i>vestita</i>             |                    | male                   | 1                | Puffleg, Glowing                           | Least concern                                       |                    | KMB1985.161.18 |
| Apodiformes | Trochilidae | <i>Eriocnemis</i>    | <i>godini</i>              |                    | male                   | 1                | Puffleg, Turquoise-throated                | <b>Critically Endangered &amp; possibly extinct</b> |                    | KMB1985.161.14 |
| Apodiformes | Trochilidae | <i>Eriocnemis</i>    | <i>glaucoptoides</i>       |                    | adult                  | 1                | Puffleg, Blue-capped                       | Least concern                                       |                    | KMB1985.161.19 |
| Apodiformes | Trochilidae | <i>Eriocnemis</i>    | <i>glaucoptoides</i>       |                    | adult                  | 1                | Puffleg, Blue-capped                       | Least concern                                       |                    | KMB1985.161.39 |

| Order         | family      | genus               | species             | subspecies  | gender / age / plumage    | No. of specimens | Common name                | IUCN Red list status   | Source of specimen                           | Case number    |
|---------------|-------------|---------------------|---------------------|-------------|---------------------------|------------------|----------------------------|------------------------|--|----------------|
| Apodiformes   | Trochidae   | <i>Ocreatus</i>     | <i>underwoodii</i>  |             | adult                     | 1                | Racket-tail, White-booted  | Least concern          |  | KMB1985.160.2  |
| Apodiformes   | Trochilidae | <i>Lesbia</i>       | <i>victoriae</i>    |             | male                      | 1                | Trainbearer, Black-tailed  | Least Concern          |  | KMB1985.161.10 |
| Apodiformes   | Trochilidae | <i>Lesbia</i>       | <i>victoriae</i>    |             | male                      | 1                | Trainbearer, Black-tailed  | Least Concern          |  | KMB1985.161.25 |
| Apodiformes   | Trochilidae | <i>Lesbia</i>       | <i>victoriae</i>    |             | male                      | 1                | Trainbearer, Black-tailed  | Least Concern          |  | KMB1985.161.27 |
| Apodiformes   | Trochilidae | <i>Lesbia</i>       | <i>victoriae</i>    |             | male                      | 1                | Trainbearer, Black-tailed  | Least Concern          |  | KMB1985.161.33 |
| Apodiformes   | Trochilidae | <i>Lesbia</i>       | <i>victoriae</i>    |             | male                      | 1                | Trainbearer, Black-tailed  | Least Concern          |  | KMB1985.161.41 |
| Apodiformes   | Trochilidae | <i>Lesbia</i>       | <i>victoriae</i>    |             | male                      | 1                | Trainbearer, Black-tailed  | Least Concern          |  | KMB1985.161.48 |
| Apodiformes   | Trochilidae | <i>Oxypogon</i>     | <i>guerinii</i>     |             | adult                     | 1                | Helmetcrest, Green-bearded | Least concern          |  | KMB1994.49     |
| Apodiformes   | Trochilidae | <i>Metallura</i>    | <i>tyrianthina</i>  |             | male                      | 1                | Metaltail, Tyrian          | Least concern          |  | KMB1985.161.24 |
| Apodiformes   | Trochilidae | <i>Metallura</i>    | <i>tyrianthina</i>  |             | male                      | 1                | Metaltail, Tyrian          | Least concern          |  | KMB1985.161.28 |
| Apodiformes   | Trochilidae | <i>Heliomaster</i>  | <i>longirostris</i> |             | male                      | 1                | Starthroat, Long-billed    | Least concern          |  | KMB1985.161.26 |
| Coliiformes   | Coliidae    | <i>Colius</i>       | <i>striatus</i>     |             | adult                     | 1                | Mousebird, Speckled        | Least Concern          |  | KMB1985.326.18 |
| Trogoniformes | Trogonidae  | <i>Pharomachrus</i> | <i>mocinno</i>      |             | adult                     | 1                | Quetzal, Resplendent       | <b>Near threatened</b> |  | KMB1985.315    |
| Trogoniformes | Trogonidae  | <i>Apaloderma</i>   | <i>narina</i>       |             | male                      | 1                | Trogon, Narina             | Least Concern          | Zimbabwe                                     | KMB1985.325.53 |
| Coraciiformes | Coraciidae  | <i>Coracias</i>     | <i>spatulatus</i>   |             | adult                     | 1                | Roller, Raquet-tailed      | Least Concern          | Zimbabwe                                     | KMB1985.325.60 |
| Coraciiformes | Coraciidae  | <i>Coracias</i>     | <i>caudatus</i>     | caudatus    | adult                     | 1                | Roller, Lilac-breasted     | Least Concern          | Zimbabwe                                     | KMB1985.325.70 |
| Coraciiformes | Coraciidae  | <i>Coracias</i>     | <i>caudatus</i>     | caudatus    | adult                     | 1                | Roller, Lilac-breasted     | Least Concern          | Tanzania                                     | KMB1985.326.7  |
| Coraciiformes | Coraciidae  | <i>Coracias</i>     | <i>caudatus</i>     | caudatus    | adult                     | 1                | Roller, Lilac-breasted     | Least Concern          | Kenya  | KMB1985.327.4  |
| Coraciiformes | Coraciidae  | <i>Coracias</i>     | <i>abyssinicus</i>  |             | adult                     | 1                | Roller, Abyssinian         | Least Concern          | Sudan  | KMB1985.178.56 |
| Coraciiformes | Coraciidae  | <i>Coracias</i>     | <i>abyssinicus</i>  |             | adult                     | 2                | Roller, Abyssinian         | Least Concern          |  | KMB1985.187    |
| Coraciiformes | Coraciidae  | <i>Coracias</i>     | <i>garrulus</i>     |             | adults                    | 2                | Roller, European           | <b>Near threatened</b> |  | KMB1985.188    |
| Coraciiformes | Coraciidae  | <i>Eurystomus</i>   | <i>glaucurus</i>    |             | adult                     | 2                | Roller, Broad-billed       | Least Concern          |  | KMB1985.189    |
| Coraciiformes | Coraciidae  | <i>Eurystomus</i>   | <i>glaucurus</i>    |             | adult                     | 1                | Roller, Broad-billed       | Least Concern          |  | KMB1985.202.3  |
| Coraciiformes | Coraciidae  | <i>Eurystomus</i>   | <i>glaucurus</i>    |             | adult                     | 1                | Roller, Broad-billed       | Least Concern          | Zimbabwe                                     | KMB1985.325.50 |
| Coraciiformes | Coraciidae  | <i>Eurystomus</i>   | <i>orientalis</i>   |             | adult                     | 1                | Dollarbird, Oriental       | Least Concern          | Malaysia                                     | KMB1985.323.60 |
| Coraciiformes | Alcedinidae | <i>Dacelo</i>       | <i>novaeguineae</i> |             | adult                     | 1                | Kookaburra, Laughing       | Least Concern          |  | KMB1985.233    |
| Coraciiformes | Alcedinidae | <i>Halcyon</i>      | <i>smyrnensis</i>   |             | adult                     | 1                | Kingfisher, White-throated | Least Concern          |  | KMB1985.191    |
| Coraciiformes | Alcedinidae | <i>Halcyon</i>      | <i>leucocephala</i> |             | adult                     | 1                | Kingfisher, Grey-headed    | Least Concern          | Zimbabwe                                     | KMB1985.325.78 |
| Coraciiformes | Alcedinidae | <i>Halcyon</i>      | <i>leucocephala</i> |             | adult                     | 1                | Kingfisher, Grey-headed    | Least Concern          | Kenya  | KMB1985.327.17 |
| Coraciiformes | Alcedinidae | <i>Halcyon</i>      | <i>albiventris</i>  |             | female                    | 1                | Kingfisher, Brown-hooded   | Least Concern          | Kenya  | KMB1985.327.16 |
| Coraciiformes | Alcedinidae | <i>Halcyon</i>      | <i>senegalensis</i> |             | adult                     | 1                | Kingfisher, Woodland       | Least Concern          | Zimbabwe                                     | KMB1985.325.75 |
| Coraciiformes | Alcedinidae | <i>Todiramphus</i>  | <i>chloris</i>      | cyanoleucus | adult                     | 1                | Kingfisher, Collared       | Least Concern          | Malaysia                                     | KMB1985.323.66 |
| Coraciiformes | Alcedinidae | <i>Corythornis</i>  | <i>cristatus</i>    |             | adult                     | 1                | Kingfisher, Malachite      | Least Concern          | Kenya  | KMB1985.327.23 |
| Coraciiformes | Alcedinidae | <i>Alcedo</i>       | <i>atthis</i>       |             | male                      | 1                | Kingfisher, Common         | Least Concern          | Bellingham Rd., Kendal, found dead, May 1981 | KMB1981.12     |
| Coraciiformes | Alcedinidae | <i>Alcedo</i>       | <i>atthis</i>       |             | 2 adults, 5 juveniles     | 7                | Kingfisher, Common         | Least Concern          |  | KMB1984.93     |
| Coraciiformes | Alcedinidae | <i>Alcedo</i>       | <i>atthis</i>       |             | 3 adults 3 juveniles 1egg | 6                | Kingfisher, Common         | Least Concern          |  | KMB1985.150    |

| Order          | family        | genus                | species                | subspecies | gender / age / plumage | No. of specimens | Common name                                      | IUCN Red list status   | Source of specimen                 | Case number    |
|----------------|---------------|----------------------|------------------------|------------|------------------------|------------------|--|------------------------|------------------------------------|----------------|
| Coraciiformes  | Alcedinidae   | <i>Alcedo</i>        | <i>atthis</i>          |            | adult                  | 1                | Kingfisher, Common                               | Least Concern          |                                    | KMB1991.10     |
| Coraciiformes  | Alcedinidae   | <i>Alcedo</i>        | <i>atthis</i>          |            | male                   | 1                | Kingfisher, Common                               | Least Concern          |                                    | KMB1993.2      |
|                |               |                      |                        |            | female                 |                  |  |                        | Crook, Kendal. Window strike, 1993 |                |
| Coraciiformes  | Alcedinidae   | <i>Alcedo</i>        | <i>atthis</i>          |            |                        | 1                | Kingfisher, Common                               | Least Concern          |                                    | 13.2015T.5     |
| Coraciiformes  | Alcedinidae   | <i>Alcedo</i>        | <i>semitorquata</i>    |            | adult                  | 1                | Kingfisher, Half-collared                        | Least Concern          | Zimbabwe                           | KMB1985.325.66 |
| Coraciiformes  | Alcedinidae   | <i>Ceyx</i>          | <i>azureus</i>         |            | adult                  | 1                | Kingfisher, Azure                                | Least Concern          |                                    | KMB1985.193    |
| Coraciiformes  | Alcedinidae   | <i>Chloroceryle</i>  | <i>amazona</i>         |            | male                   | 1                | Kingfisher, Amazon                               | Least Concern          |                                    | KMB1985.191    |
| Coraciiformes  | Alcedinidae   | <i>Megaceryle</i>    | <i>torquata</i>        |            | adult                  | 1                | Kingfisher, Ringed                               | Least Concern          |                                    | KMB1985.151    |
| Coraciiformes  | Alcedinidae   | <i>Megaceryle</i>    | <i>torquata</i>        |            | adult                  | 1                | Kingfisher, Ringed                               | Least Concern          | Canada                             | KMB1985.190    |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>pusillus</i>        |            | adult                  | 1                | Bee-eater, Little                                | Least Concern          | Kenya                              | KMB1985.327.8  |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>pusillus</i>        |            | adult                  | 1                | Bee-eater, Little                                | Least Concern          | Sudan                              | KMB1985.178.69 |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>bulocki</i>         |            | adult                  | 1                | Bee-eater, Red-throated                          | Least Concern          | Sudan                              | KMB1985.178.62 |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>albicollis</i>      |            |                        | 1                | Bee-eater, White-throated                        | Least Concern          | Sudan                              | KMB1985.178.57 |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>orientalis</i>      |            | adult                  | 1                | Bee-eater, Green                                 | Least Concern          | Sudan                              | KMB1985.178.68 |
|                |               |                      |                        |            | adult                  |                  |  |                        | Malaysia                           |                |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>leschenaulti</i>    |            |                        | 1                | Bee-eater, Chestnut-headed                       | Least Concern          |                                    | KMB1985.323.63 |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>apiaster</i>        |            | adult                  | 1                | Bee-eater, European                              | Least Concern          | The Transvaal                      | KMB1985.180.77 |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>apiaster</i>        |            | 2 adults               | 2                | Bee-eater, European                              | Least Concern          |                                    | KMB1985.172    |
|                |               |                      |                        |            | adult                  |                  |  |                        |                                    |                |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>nubicus</i>         |            | adult                  | 1                | Bee-eater, Northern Carmine                      | Least Concern          |                                    | KMB1985.327.7  |
| Coraciiformes  | Meropidae     | <i>Merops</i>        | <i>nubicus</i>         |            | adult                  | 1                | Bee-eater, Northern Carmine                      | Least Concern          | Sudan                              | KMB1985.178.64 |
| Bucerotiformes | Upupidae      | <i>Upupa</i>         | <i>epops</i>           |            | adult                  | 2                | Hoopoe, Eurasian                                 | Least Concern          |                                    | KMB1984.91     |
| Bucerotiformes | Phoeniculidae | <i>Phoeniculus</i>   | <i>purpureus</i>       |            | male                   | 1                | Wood-hoopoe, Green                               | Least Concern          | Kenya                              | KMB1985.327.5  |
| Bucerotiformes | Phoeniculidae | <i>Phoeniculus</i>   | <i>purpureus</i>       |            | male                   | 1                | Wood-hoopoe, Green                               | Least Concern          | Tanzania                           | KMB1985.326.15 |
| Bucerotiformes | Phoeniculidae | <i>Rhinopomastus</i> | <i>cyanomelas</i>      |            | male                   | 1                | Scimitarbill, Common                             | Least Concern          | Kenya                              | KMB1985.327.6  |
| Bucerotiformes | Bucerotidae   | <i>Tockus</i>        | <i>erythrorhynchus</i> |            | adult                  | 1                | Hornbill, Red-billed                             | Least Concern          |                                    | KMB1985.184.1  |
| Bucerotiformes | Bucerotidae   | <i>Anthracoceros</i> | <i>albirostris</i>     |            | adult                  | 1                | Hornbill, Oriental Pied                          | Least Concern          |                                    | KMB1985.184.2  |
| Bucerotiformes | Bucerotidae   | <i>Aceros</i>        | <i>nipalensis</i>      |            | adult                  | 1                | Hornbill, Rufous-necked                          | Vulnerable             |                                    | KMB1985.184.3  |
| Piciformes     | Ramphastidae  | <i>Pteroglossus</i>  | <i>aracari</i>         |            | adult                  | 1                | Aracari, Black-necked                            | Least Concern          |                                    | KMB1985.314    |
| Piciformes     | Ramphastidae  | <i>Ramphastos</i>    | <i>dicolorus</i>       |            | adult                  | 1                | Toucan, Green-billed                             | Least Concern          |                                    | KMB1985.314    |
| Piciformes     | Ramphastidae  | <i>Ramphastos</i>    | <i>vitellinus</i>      | culminatus | adult                  | 1                | Toucan, Channel-billed                           | <b>Vulnerable</b>      |                                    | KMB1985.314    |
| Piciformes     | Ramphastidae  | <i>Ramphastos</i>    | <i>vitellinus</i>      | vitellinus | adult                  | 1                | Toucan, Channel-billed                           | <b>Vulnerable</b>      |                                    | KMB1985.314    |
| Piciformes     | Ramphastidae  | <i>Ramphastos</i>    | <i>toco</i>            |            | adult                  | 1                | Toucan, Toco                                     | Least Concern          |                                    | KMB1985.314    |
| Piciformes     | Ramphastidae  | <i>Ramphastos</i>    | <i>tucanus</i>         |            | adults                 | 2                | Toucan, White-throated                           | <b>Vulnerable</b>      |                                    | KMB1985.314    |
|                |               |                      |                        | swainsonii | adult                  |                  | Toucan, Yellow-throated (ssp chestnut-mandibled) | <b>Near threatened</b> |                                    |                |
| Piciformes     | Ramphastidae  | <i>Ramphastos</i>    | <i>ambiguus</i>        |            |                        | 1                | Toucan, Yellow-throated (ssp chestnut-mandibled) | <b>Near threatened</b> |                                    | KMB1985.314    |
| Piciformes     | Megalaimidae  | <i>Psilopogon</i>    | <i>mystacophanos</i>   |            | male                   | 1                | Barbet, Red-throated                             | <b>Near threatened</b> |                                    | KMB1985.323.64 |
| Piciformes     | Megalaimidae  | <i>Psilopogon</i>    | <i>asiaticus</i>       |            | male                   | 1                | Barbet, Blue-throated                            | Least Concern          |                                    | KMB1985.197    |

| Order      | family   | genus               | species              | subspecies    | gender / age / plumage | No. of specimens | Common name                 | IUCN Red list status | Source of specimen                        | Case number    |
|------------|----------|---------------------|----------------------|---------------|------------------------|------------------|-----------------------------|----------------------|---|----------------|
| Piciformes | Lybiidae | <i>Stactolaema</i>  | <i>olivacea</i>      |               | adult                  | 1                | Barbet, Green               | Least Concern        | Kenya                                     | KMB1985.327.14 |
| Piciformes | Lybiidae | <i>Pogoniulus</i>   | <i>pusillus</i>      | affinis       | adult                  | 1                | Tinkerbird, Red-fronted     | Least Concern        | Tanzania                                  | KMB1985.326.10 |
| Piciformes | Lybiidae | <i>Pogoniulus</i>   | <i>chrysoconus</i>   |               | adult                  | 1                | Tinkerbird, Yellow-fronted  | Least Concern        | Zimbabwe                                  | KMB1985.325.67 |
| Piciformes | Lybiidae | <i>Tricholaema</i>  | <i>leucomelas</i>    |               | adult                  | 1                | Barbet, Acacia Pied         | Least Concern        | The Transvaal                             | KMB1985.180.55 |
| Piciformes | Lybiidae | <i>Lybius</i>       | <i>torquatus</i>     |               | adult                  | 1                | Barbet, Black-collared      | Least Concern        | The Transvaal                             | KMB1985.180.57 |
| Piciformes | Lybiidae | <i>Lybius</i>       | <i>torquatus</i>     | irroratus     | adult                  | 1                | Barbet, Black-collared      | Least Concern        | Zimbabwe                                  | KMB1985.325.55 |
| Piciformes | Lybiidae | <i>Lybius</i>       | <i>torquatus</i>     | torquatus     | adult                  | 1                | Barbet, Black-collared      | Least Concern        | Tanzania                                  | KMB1985.326.17 |
| Piciformes | Lybiidae | <i>Lybius</i>       | <i>torquatus</i>     | torquatus     | adult                  | 1                | Barbet, Black-collared      | Least Concern        | Kenya                                     | KMB1985.327.13 |
| Piciformes | Lybiidae | <i>Lybius</i>       | <i>melanopterus</i>  |               | adult                  | 1                | Barbet, Brown-breasted      | Least Concern        | Kenya                                     | KMB1985.327.12 |
| Piciformes | Lybiidae | <i>Lybius</i>       | <i>bidentatus</i>    |               | adult                  | 1                | Barbet, Double-toothed      | Least Concern        | Kenya                                     | KMB1985.327.11 |
| Piciformes | Lybiidae | <i>Trachyphonus</i> | <i>vallantii</i>     |               | male                   | 1                | Barbet, Crested             | Least Concern        | The Transvaal                             | KMB1985.180.56 |
| Piciformes | Lybiidae | <i>Trachyphonus</i> | <i>vallantii</i>     |               | adult                  | 1                | Barbet, Crested             | Least Concern        | Zimbabwe                                  | KMB1985.325.65 |
| Piciformes | Lybiidae | <i>Trachyphonus</i> | <i>darnaudii</i>     |               | adult                  | 1                | Barbet, D'Arnaud's          | Least Concern        | Sudan                                     | KMB1985.178.59 |
| Piciformes | Picidae  | <i>Jynx</i>         | <i>torquilla</i>     |               | 2 adults               | 2                | Wryneck, Eurasian           | Least concern        |   | KMB1984.100    |
| Piciformes | Picidae  | <i>Melanerpes</i>   | <i>candidus</i>      |               | adult                  | 1                | Woodpecker, White           | Least concern        |   | KMB1985.195.3  |
| Piciformes | Picidae  | <i>Dryobates</i>    | <i>minor</i>         |               | 3 adults               | 3                | Woodpecker, Lesser Spotted  | Least concern        |   | KMB1984.66     |
| Piciformes | Picidae  | <i>Dendrocopos</i>  | <i>major</i>         |               | adult                  | 1                | Woodpecker, Great Spotted   | Least concern        | Skelwith Bridge, Window strike, July 1978 | KMB1979.1      |
| Piciformes | Picidae  | <i>Dendrocopos</i>  | <i>major</i>         |               | adult                  | 1                | Woodpecker, Great Spotted   | Least concern        | Lindale, Cumbria                          | KMB1979.2      |
| Piciformes | Picidae  | <i>Dendrocopos</i>  | <i>major</i>         |               | 3 males                | 3                | Woodpecker, Great Spotted   | Least concern        |   | KMB1984.65     |
| Piciformes | Picidae  | <i>Piculus</i>      | <i>flavigula</i>     | erythropis    | female                 | 1                | Woodpecker, Yellow-throated | Least Concern        |   | KMB1985.211    |
| Piciformes | Picidae  | <i>Colaptes</i>     | <i>auratus</i>       | auratus       | male                   | 1                | Flicker, Northern           | Least concern        | Eastern USA                               | KMB1985.324.52 |
| Piciformes | Picidae  | <i>Colaptes</i>     | <i>melanochloros</i> |               | male                   | 1                | Woodpecker, Green-barred    | Least concern        |   | KMB1985.195.7  |
| Piciformes | Picidae  | <i>Colaptes</i>     | <i>melanochloros</i> |               | female                 | 1                | Woodpecker, Green-barred    | Least concern        |   | KMB1985.195.2  |
| Piciformes | Picidae  | <i>Colaptes</i>     | <i>campestris</i>    | campestroides | male                   | 1                | Flicker, Campo              | Least concern        |   | KMB1985.195.1  |
|            | Picidae  | <i>Colaptes</i>     | <i>campestris</i>    | campestroides | female                 | 1                | Flicker, Campo              | Least concern        |   | KMB1985.195.5  |
| Piciformes | Picidae  | <i>Dryocopus</i>    | <i>martius</i>       |               | adult                  | 1                | Woodpecker, Black           | Least concern        |   | KMB1985.195.6  |
| Piciformes | Picidae  | <i>Campephilus</i>  | <i>leucopogon</i>    |               | adult                  | 1                | Woodpecker, Cream-backed    | Least concern        |   | KMB1985.195.4  |
| Piciformes | Picidae  | <i>Picus</i>        | <i>viridis</i>       |               | 2 adults, 1 juvenile   | 3                | Woodpecker, European Green  | Least concern        |   | KMB1984.67     |

| Order          | family        | genus              | species              | subspecies | gender / age / plumage    | No. of specimens | Common name                | IUCN Red list status         | Source of specimen                               | Case number    |
|----------------|---------------|--------------------|----------------------|------------|---------------------------|------------------|----------------------------|------------------------------|--|----------------|
| Piciformes     | Picidae       | <i>Picus</i>       | <i>viridis</i>       |            | adult                     | 1                | Woodpecker, European Green | Least Concern                |  | T.C16          |
| Piciformes     | Picidae       | <i>Dinopium</i>    | <i>benghalense</i>   |            | adult                     | 1                | Flameback, Black-rumped    | Least concern                |  | KMB1985.199    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>naumanni</i>      |            | pair                      | 2                | Kestrel, Lesser            | Least concern                |  | KMB1985.273    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | adult                     | 1                | Kestrel, Common            | Least concern                | Milnthorpe. Road casualty, Mar 1979              | KMB1980.10     |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | male                      | 1                | Kestrel, Common            | Least concern                | A65, south of Kendal. Road casualty, July 1981   | KMB1981.5      |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | pair                      | 2                | Kestrel, Common            | Least concern                |  | KMB1985.267    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | juvenile                  | 1                | Kestrel, Common            | Least concern                |  | KMB1985.268    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | female                    | 1                | Kestrel, Common            | Least concern                |  | KMB1985.269    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | female                    | 1                | Kestrel, Common            | Least concern                |  | KMB1985.333    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | male with prey            | 1                | Kestrel, Common            | Least concern                |  | KMB2015.2      |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>tinnunculus</i>   |            | male                      | 1                | Kestrel, Common            | Least concern                |  | 13.2015T.3     |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>sparverius</i>    | Falconidae | male                      | 1                | Kestrel, American          | Least concern                | Eastern USA                                      | KMB1985.324.63 |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>vespertinus</i>   |            | adults                    | 3                | Falcon, Red-footed         | <b>Near threatened</b>       |  | KMB1985.259    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>columbarius</i>   |            | adults                    | 3                | Merlin                     | Least concern                |  | KMB1985.266    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>subbuteo</i>      |            | pair                      | 2                | Hobby, Eurasian            | Least concern                |  | KMB1985.272    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>rusticolus</i>    |            | adult                     | 2                | Gyr Falcon                 | Least concern                |  | KMB1985.260    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>rusticolus</i>    |            | adult                     | 2                | Gyr Falcon                 | Least concern                |  | KMB1985.287    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>rusticolus</i>    |            | adult                     | 2                | Gyr Falcon                 | Least concern                |  | KMB1985.297    |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>peregrinus</i>    |            | pair                      | 2                | Falcon, Peregrine          | Least concern                | Abbeystead, Lancashire. Shot by gamekeeper, 1900 | KMB1981.29     |
| Falconiformes  | Falconidae    | <i>Falco</i>       | <i>peregrinus</i>    |            | adult with ptarmigan prey | 2                | Falcon, Peregrine          | Least concern                |  | KMB1985.298    |
| Psittaciformes | Strigopidae   | <i>Strigops</i>    | <i>habroptilla</i>   |            | adults                    | 2                | Kakapo                     | <b>Critically Endangered</b> |  | KMB1985.217    |
| Psittaciformes | Strigopidae   | <i>Nestor</i>      | <i>notabilis</i>     |            | pair                      | 2                | Kea                        | <b>Vulnerable</b>            |  | KMB1985.216    |
| Psittaciformes | Psittacidae   | <i>Ara</i>         | <i>ararauna</i>      |            | adult                     | 1                | Macaw, Blue-and-yellow     | Least Concern                | (aviary specimen)                                | KMB1994.51     |
| Psittaciformes | Psittacidae   | <i>Ara</i>         | <i>macao</i>         |            | adult                     | 1                | Macaw, Scarlet             | Least concern                | (aviary specimen)                                | KMB1985.328    |
| Psittaciformes | Psittaculidae | <i>Aprosmictus</i> | <i>erythropterus</i> |            | adult                     | 1                | Parrot, Red-winged         | Least concern                | Tamworth, Australia                              | KMB1985.177.61 |
| Psittaciformes | Psittaculidae | <i>Psittacula</i>  | <i>krameri</i>       |            | male                      | 1                | Parakeet, Rose-ringed      | Least concern                | Sudan  | KMB1985.178.53 |
| Psittaciformes | Psittaculidae | <i>Platycercus</i> | <i>eximius</i>       |            | male                      | 1                | Rosella, Eastern           | Least concern                |  | KMB1994.49     |
| Psittaciformes | Psittaculidae | <i>Pezoporus</i>   | <i>wallicus</i>      |            | adult                     | 2                | Parrot, Eastern Ground     | Least concern                |  | KMB1985.194    |



























